

The Art of Hanging Art

Product Catalog
2013-2014



The Art of Hanging Art

Systematic Art was established in 2005 to offer innovative, museum-quality, professional art-hanging services through technologically advanced art-hanging hardware. At its inception, Systematic Art served galleries, museums and corporations worldwide. We quickly realized that our products could benefit discerning individual art collectors as well.


Over the years, the Systematic team took many unique and conceptual approaches to its installations that planted the seeds for the company's development and manufacturing of its own dedicated picture-hanging hardware.

We believe that hanging art is much more than putting nails in the wall. It is an art in itself. Systematic Art's picture-hanging rails, rods and cables give customers the flexibility to hang, adjust and move art without having to place hooks and holes in the wall, providing a clean, professional, museum-quality look.

After years of servicing clients through our worldwide network, Systematic Art is now pleased to make its art hanging products available online to the public for the first time. We are strongly committed to offer consumers a means of hanging art that has been around for hundreds of years, but with a modern twist. Our hanging cables and self-gripping hooks are an affordable picture-hanging alternative for all. We provide our customers with a user-friendly, clean and attractive means of hanging art, a system that is flexible and reliable, a system that will make putting holes in the wall a thing of the past, and a system that enhances the beauty of the art it supports.



Moderna Rail Wall-Mounted



Moderna Rail Wall-Mounted

Wall-Mounted Systems

Wall-Mounted systems offer a reliable and elegant picture hanging solution favored by galleries, museums and art collectors worldwide. Simply put, WALL-MOUNTED SYSTEMS guarantee the strongest and the most secure method to enhance and support your art.

Available WALL-MOUNTED SYSTEMS:

- Gallery
- Moderna
- Click-Track



Moderna Rail Wall-Mounted

Ceiling-Mounted Systems

Ceiling-Mounted Systems are perfect for rooms that contain walls of brick, marble, wood tile or mirror. Rails can be secured easily to any ceiling made of drywall, wood, steel, tin or concrete without damaging walls.

Available Ceiling-Mounted Systems :

- Sky
- Slim line



Sky Ceiling-Mounted

CONTENTS

Home / Office Solutions

Picture Rails05 - 011

Picture Hanging Rods012 - 014

Hanging Cables015 - 019

Cable Hooks020 - 022

Rod Hooks023 - 024

Click Track Accessories025 - 026

Cable & Rod Accessories027 - 028

Rail Instalation Hardware029 - 031

Home & Office
Solutions



Home / Office Solutions



Home Office solutions are Picture Hanging Systems that are optimized for home or office usage. In order to put your system together you will need to choose your rail options, then your hanging options and finally your hook options. Once you have the core of your system selected, you can pick accessories or installation hardware from our offer.

1 > Select your Rail Option



Wall Mounted System

Select your rail color and install using the provided clips.

Click Track




Ceiling Mounted System

Select your rail color and install using anchors and screws.


Slim Line

2 > Select your Hanging Option



Ball End Cable

Available in Stainless and Nylon



Ball-End Hanging Rod

Available in multiple colors and lengths



Cobra Cable

Available in Stainless and Nylon

3 > Select your HookOption



Cable Hooks



Rod Hooks





Slim Line Rail

Ceiling-Mounted

For use with:
Slim line Hanging Cables / Slim Line Hanging Rods

Price	\$20.95
\$20.95	Natural - Milled
\$21.95	Silver - Satin Anodized
\$22.95	Black - Satin Anodized
\$22.95	White - Powder Coated

Examples:



Product Information

With its sleek, modern design the ultra thin and discreet Slim-Line ceiling mounted picture hanging track is a discreet hanging solution for both home and office with a rated weight of up to 65lbs / 29kg.

The ultra-thin and inconspicuous Slim-Line track comes fabricated with 8 pre-drilled holes providing for an easy installation.

Application: Ceiling-Mounted
Material: Aluminum
Available Length: (72") - (182.88cm)
Rail Height: 7.3mm - (1/4")
Available Colors: Multiple
Rated Rail Weight: 65 lb / 29.4 kg (When Properly Installed)

Instalation

The Slim-Line picture rail mounts to the ceiling with the use of Screws and Anchors.
(Screw and Anchor kits Sold Separately!)

1. To hang items using the Slim-Line ceiling mounted rail, you must select your hanger preference:
Cobra Cable / Ball-End Cable / Cable Rod / Ball-End Hanging Rod
2. After you have selected your hanger option you must then select your hook preference:
 1. Cable Hook for hanging cables
 2. Rod Hook For the ball-end hanging rod

Hanger Compatibility

1. Cobra Cable - Nylon / 13 lbs
2. Cobra Cable - Stainless Steel / 26 lbs
3. Ball-End Cable - Nylon / 18 lbs
4. Ball-End Cable Stainless Steel / 32 lbs
5. Ball-End Cable Rod - Steel / 20 lbs
6. Ball-End Rod - Aluminum / 55 lbs



Slim Line Rail

Ceiling-Mounted

For use with:


Slim line Hanging Cables / Slim Line Hanging Rods

Price

\$20.95

\$20.95	Natural - Milled
\$21.95	Silver - Satin Anodized
\$22.95	Black - Satin Anodized
\$22.95	White - Powder Coated

Compatible with:



Cobra Cable
Nylon / 13 lbs

*For more about this product
visit page 017*

Cobra Cable
Stainless Steel / 26 lbs


*For more about this product
visit page 016*

Ball-End Cable
Nylon / 18 lbs

*For more about this product
visit page 015*

Ball-End Cable
Stainless Steel/ 21 lbs

*For more about this product
visit page 014*



Ball-End Cable Rod
Steel / 20 lbs

*For more about this product
visit page 013*


Ball-End Rod
Aluminum / 55 lbs

*For more about this product
visit page 012*

Installation Instructions


STEP 1

Ceiling Mounted System




STEP 3

Hook Options



STEP 2

Hanger Options





Click Track Rail / Classic

Wall-Mounted

For use with:

Click Track Hanging Rods / Click Track Hanging Cables / Click Track Accessories

Price

\$21.95

\$21.95	Natural - Milled
\$22.95	Silver - Satin Anodized
\$23.95	Black - Satin Anodized
\$23.95	White - Powder Coated

Examples:



Product Information

Versatile! Discreet! Easy to install! these adjectives best describe the Click-Track picture hanging Rail. The Click-Track is secured to the wall using fastening clips that conceal all fittings and wall anchors.

Simply affix the supplied fastening clips to the wall and snap Click-Track to the clips.

The Click-Track picture hanging rail is compatible with a wide variety of our hangers and hooks that make adjustment both horizontally and vertically easy, effortless and without damage to walls. Nails and unwanted holes will be a thing past when using Click-Track.

Fastening Clips, Screws and Anchors Included!

Application: Wall-Mounted

Material: Aluminum

Available Length: (72") - (182.88cm)

Rail Height: 25mm - (1")

Available Colors: Multiple

Rated Rail Weight: 75 lb / 35 kg (When Properly Installed)

Instalation

The Click Track Classic picture rail mounts to the ceiling with the use of Screws and Anchors.

Fastening Clips and Anchors and Screws Included!

1. To hang items using the Clcik Track classic wall mounted rail, you must select your hanger preference:

Cobra Cable
Ball-End Cable
Cable Rod
Ball-End Hanging Rod

2. After you have selected your hanger option you must then select your hook preference:

1. Cable Hook for hanging cables
2, Rod Hook For the ball-end hanging rod

Hanger Compatibility

1. Cobra Cable - Nylon / 13 lbs
2. Cobra Cable - Stainless Steel / 26 lbs
3. Ball-End Cable - Nylon / 18 lbs
4. Ball-End Cable Stainless Steel / 32 lbs
5. Ball-End Cable Rod - Steel / 20 lbs
6. Ball-End Rod - Aluminum / 55 lbs



Click Track Rail / Classic

Wall-Mounted

For use with:

Click Track Hanging Rods / Click Track Hanging Cables /
Click Track Accessories

Price

\$21.95

\$21.95	Natural - Milled
\$22.95	Silver - Satin Anodized
\$23.95	Black - Satin Anodized
\$23.95	White - Powder Coated


Compatible With:

<p>Cables</p> <p>Ball-End Cable Stainless Steel/ 21 lbs</p> <p><i>For more about this product visit page 014</i></p>	<p>Cables</p> <p>Ball-End Cable Nylon / 18 lbs</p> <p><i>For more about this product visit page 015</i></p>	<p>Cables</p> <p>Cobra Cable Stainless Steel / 26 lbs</p> <p><i>For more about this product visit page 016</i></p>	<p>Cables</p> <p>Cobra Cable Nylon / 13 lbs</p> <p><i>For more about this product visit page 017</i></p>
<p>Rods</p> <p>Ball-End Rod Aluminum / 55 lbs</p> <p><i>For more about this product visit page 012</i></p>		<p>Rods</p> <p>Ball-End Cable Rod Steel / 20 lbs</p> <p><i>For more about this product visit page 013</i></p>	

Installation Instructions


STEP 1

Ceiling Mounted System




STEP 3

Hook Options



STEP 2

Hanger Options





Click Track Rail / Deco

Wall-Mounted

For use with:

Click Track Hanging Rods / Click Track Hanging Cables / Click Track Accessories

Price

\$22.50

\$22.50	Natural - Milled
\$23.50	Silver - Satin Anodized
\$24.50	Black - Satin Anodized
\$24.50	White - Powder Coated

Examples:



Product Information

The Click Track Deco with its raised decorative channel adds an extra modern design element to the classic Click Track.

The versatile and easy to install click track can be used with aluminum hanging rods or cables available in both synthetic nylon and stainless steel. The Click Track is perfect for hanging art, photos and posters in both residential and commercial settings.

The Click-Track is secured to the wall using fastening clips that conceal all fittings and wall anchors.

Simply affix the supplied fastening clips to the wall and snap Click-Track to the clips.

The Click-Track picture hanging rail makes adjustment of your art both horizontally and vertically easy, effort-less and without damage to walls.

Nails and unwanted holes will be a thing past when using the Click-Track.

Fastening Clips, Screws and Anchors Included!

Application: Wall-Mounted

Material: Aluminum

Available Length: (72") - (182.88cm)

Rail Height: 25mm - (1")

Available Colors: Multiple

Rated Rail Weight: 75 lb / 35 kg (When Properly Installed)

Instalation

The Click Track Deco picture rail mounts to the wall with the use of Screws and Anchors.

Fastening Clips and Anchors and Screws Included!

1. To hang items using the Slim-Line ceiling mounted rail, you must select your hanger preference:

Cobra Cable
Ball-End Cable
Cable Rod
Ball-End Hanging Rod

2. After you have selected your hanger option you must then select your hook preference:

1. Cable Hook for hanging cables
2, Rod Hook for the ball-end hanging rod

Hanger Compatibility

1. Cobra Cable - Nylon / 13 lbs
2. Cobra Cable - Stainless Steel / 26 lbs
3. Ball-End Cable - Nylon / 18 lbs
4. Ball-End Cable Stainless Steel / 32 lbs
5. Ball-End Cable Rod - Steel / 20 lbs
6. Ball-End Rod - Aluminum / 55 lbs



Click Track Rail / Deco

Wall-Mounted

For use with:

Click Track Hanging Rods / Click Track Hanging Cables /
Click Track Accessories

Price

\$22.50

\$22.50	Natural - Milled
\$23.50	Silver - Satin Anodized
\$24.50	Black - Satin Anodized
\$24.50	White - Powder Coated


Compatible With:

<p>Cables</p> <p>Ball-End Cable Stainless Steel/ 21 lbs</p> <p><i>For more about this product visit page 014</i></p>	<p>Cables</p> <p>Ball-End Cable Nylon / 18 lbs</p> <p><i>For more about this product visit page 015</i></p>	<p>Cables</p> <p>Cobra Cable Stainless Steel / 26 lbs</p> <p><i>For more about this product visit page 016</i></p>	<p>Cables</p> <p>Cobra Cable Nylon / 13 lbs</p> <p><i>For more about this product visit page 017</i></p>
<p>Rods</p> <p>Ball-End Rod Aluminum / 55 lbs</p> <p><i>For more about this product visit page 012</i></p>		<p>Rods</p> <p>Ball-End Cable Rod Steel / 20 lbs</p> <p><i>For more about this product visit page 013</i></p>	

Installation Instructions


STEP 1

Ceiling Mounted System




STEP 3

Hook Options



STEP 2

Hanger Options





Ball-End (Hanging Rod) Aluminum

For use with:
Click Track Wall Mounted / Rod Hooks / Slim Line Ceiling Mounted


Price		\$7.95
\$7.95	Silver	
\$7.95	White	

Compatible With:



Slim-Line
Ceiling-Mounted Rail
*For more about this product
visit [page 06](#)*

Click-Track
Wall-Mounted Rail
*For more about this product
visit [page 08](#)*



Museum Rod Hook
Steel / 54 lbs
*For more about this product
visit [page 020](#)*

Museum Rod Hook - (Heavy)
Steel / 55 lbs
*For more about this product
visit [page 020](#)*

Museum (Anti-Theft) Rod Hook
Steel / 54 lbs
*For more about this product
visit [page 020](#)*

Product Information

The Picture Hanging Rod considered by many museums, galleries and collectors of being the quintessential picture hanging tool is available through Systematic Art in various colors and lengths.


The Ball-End Picture Hanging Rod is able to work with both the Click Track wall mounted and Slim-Line ceiling mounted rail providing a secure and elegant means of hanging art.

Material: Aluminum
Rod Profile: Square 4mm
Colors: Multiple Available
Lengths: Multiple Rated Weight: 55lb / 24Kg

Instalation

- A. To hang items using this Rod your must first select your rail:
1. Click Track - Wall Mounted
 2. Slim-Line - Ceiling Mounted
- B. After your have selected your rail you must then select your hook preference:
1. Museum Rod Hook
 2. Museum Rod Hook - Heavy Duty
 3. Museum Rod Hook with Safety Lock

Instalation Instructions:





Ball-End (Cable Rod) Steel

For use with:

Cable Hooks / Click-Track Wall Mounted / Side Clamps / Slim Line Ceiling Mounted

Price

\$7.95

\$7.95 Silver

\$7.95 Black

\$7.95 White

Product Information

The Ball-End Cable Rod a hybrid of both the hanging cable and square profile picture hanging rod gives users a new and viable alternative for hanging art, pictures, posters and signs. The Cable-Rod was developed for residential and office type settings and for users who don't require the strength and boldness of the commercial grade hanging rod and an alternative to cable systems. The extremely thin and robust Cable-Rod has a diameter of 1/16" making it compatible with our entire line of both cable hooks, and side clamps.

The Ball-End Cable Rod works with both **Click-Track** (wall-mounted) and **Slim-Line** (ceiling-mounted) rail systems providing a simple, robust and elegant means of hanging art, pictures, posters and point of purchase displays.

Note: The Cable-Rod should not be confused with the heavy-duty square profile Hanging-Rod. For objects that exceed this items rated weight, it is suggested to select other rods available on the site.











Material: Steel Rod

Profile: Round / 1/16"


Available Colors: Silver • White • Black

Available Lengths: Multiple Rated Weight: 20lbs / 9Kg

Compatible With:

 <p>Rails</p> <p>Slim-Line Ceiling-Mounted Rail</p> <p><i>For more about this product visit page 06</i></p>	 <p>Rails</p> <p>Click-Track Wall-Mounted Rail</p> <p><i>For more about this product visit page 08</i></p>	 <p>Cable Hooks</p> <p>Micro Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Basel - (Side Screw) - Mini Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>L-Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>
 <p>Cable Hooks</p> <p>Crane Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Small) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Sailors) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Picture Hook) with Safety-Lock</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Captains) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>

Instalation Instructions:



Home / Office Solutions - Hanging Cables



Ball-End Cable - (Stainless Steel)

For use with:

Cable Hooks / Click-Track Wall Mounted / Slim Line Ceiling Mounted

Price

\$7.75

\$7.75	48" / 121cm
\$8.75	72" / 182cm
\$9.75	96" / 243cm
\$10.75	120" / 304cm

Product Information

The classic Ball-End picture hanging cable in Stainless-Steel provides great strength and is compatible with both the Click-Track (wall-mounted) and Slim-Line (ceiling-mounted) Rail Systems.

This easy to install picture hanging cable is attached to the rail by simply sliding the Ball-Ended side into the rails slot and from any open-end.

Material: Stainless Steel

Available Colors: Steel Finish

Available Lengths: Multiple

Rated Weight: 32 lbs / 14.5 kg

Installation











A. To hang items using this cable your must first select your rail:

1. Click Track - Wall Mounted
2. Slim-Line - Ceiling Mounted


B. After your have selected your rail you must then select your hook preference:

1. Side Screw Picture Hook
2. Self - Gripping Hook

Compatible With:

 <p>Rails</p> <p>Slim-Line Ceiling-Mounted Rail</p> <p><i>For more about this product visit page 06</i></p>	 <p>Rails</p> <p>Click-Track Wall-Mounted Rail</p> <p><i>For more about this product visit page 08</i></p>	 <p>Cable Hooks</p> <p>Micro Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Basel - (Side Screw) - Mini Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>L-Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>
 <p>Cable Hooks</p> <p>Crane Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Small) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Sailors) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Picture Hook) with Safety-Lock</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Captains) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>

Installation Instructions:



Home / Office Solutions - Hanging Cables



Ball-End Cable - (Nylon)

For use with:

Cable Hooks / Click-Track Wall Mounted / Slim Line Ceiling Mounted

Price

\$4.95

\$4.95 48" / 121cm

\$5.95 72" / 182cm

\$6.95 96" / 243cm

\$7.95 120" / 304cm

Product Information

The classic nylon Ball-End picture hanging cable system works with both **Click-Track** (wall-mounted) and **Slim-Line** (ceiling-mounted) picture rail Systems.

Once installed the Synthetic Nylon cable provides for an almost invisible picture hanging solution.

Material: Synthetic Nylon

Available Colors: Clear

Available Lengths: Multiple

Rated Weight: 18 lbs / 8 kg

Installation

This easy to install cable is attached to the rail by simply sliding the Ball-Ended side into the rails slot from any open-end.











A. To hang items using this cable you must first select your rail:

1. Click Track - Wall Mounted
2. Slim-Line - Ceiling Mounted

B. After your have selected your rail you must then select your hook preference:

1. Side Screw Picture Hook
2. Self -Gripping Hook

Compatible With:


 <p>Rails</p> <p>Slim-Line Ceiling-Mounted Rail</p> <p><i>For more about this product visit page 06</i></p>	 <p>Rails</p> <p>Click-Track Wall-Mounted Rail</p> <p><i>For more about this product visit page 08</i></p>	 <p>Cable Hooks</p> <p>Micro Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Basel - (Side Screw) - Mini Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>L-Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>
 <p>Cable Hooks</p> <p>Crane Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Small) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Sailors) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Picture Hook) with Safety-Lock</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Captains) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>

Installation Instructions:

Wall - Mounted



Ceiling - Mounted





Cobra Cable - (Stainless Steel)

For use with:

Cable Hooks / Click-Track Wall Mounted / Slim Line Ceiling Mounted

Price

\$7.95

\$7.95 48" / 121cm

\$8.45 72" / 182cm

\$8.95 96" / 243cm

\$9.75 120" / 304cm

Product Information

The Stainless-Steel Cobra picture hanging Cable system works with both **Click-Track** (wall-mounted) and **Slim-Line** (ceiling-mounted) rail systems.

This picture hanging cable can be attached or detached from any location on the rail.

Material: Stainless Steel

Cable Thickness: 1.8mm / 7 x7

Cable Ends: Fused

Available Lengths: Multiple

Rated Weight: 26 lbs / 11.7 kg

Installation

The Cobra cable is installed to the rail by simply inserting the neck of the Cobra cable into the rail slot on an angle and then pulling down.











A. To hang items using this cable you must first select your rail:

1. Click Track - Wall Mounted
2. Slim-Line - Ceiling Mounted


B. After your have selected your rail you must then select your hook preference:

1. Side Screw Picture Hook
2. Self - Gripping Hook

Compatible With:

 <p>Rails</p> <p>Slim-Line Ceiling-Mounted Rail</p> <p><i>For more about this product visit page 06</i></p>	 <p>Rails</p> <p>Click-Track Wall-Mounted Rail</p> <p><i>For more about this product visit page 08</i></p>	 <p>Cable Hooks</p> <p>Micro Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Basel - (Side Screw) - Mini Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>L-Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>
 <p>Cable Hooks</p> <p>Crane Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Small) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Sailors) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Picture Hook) with Safety-Lock</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Captains) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>

Installation Instructions:





Cobra Cable - (Nylon)

For use with:

Cable Hooks / Click-Track Wall Mounted / Slim Line Ceiling Mounted

Price

\$4.95

\$4.95	48" / 121cm
\$5.50	72" / 182cm
\$6.00	96" / 243cm
\$6.95	120" / 304cm

Product Information

The Cobra picture hanging cable works with both the **Click-Track** (wall-mounted) and **Slim-Line** (ceiling-mounted) rail systems. The **Cobra Cable** in synthetic nylon provides for an almost invisible picture hanging solution.

This cable can be attached to the rail from any point for quick attachment.

Material: Nylon

Available Colors: Clear

Available Lengths: Multiple

Rated Weight: 13 lbs / 6.3 kg

Installation

The Cobra cable is installed to the rail by simply inserting the neck of the Cobra cable into the rail slot on an angle and then pulling down.











A. To hang items using this cable you must first select your rail:

1. Click Track - Wall Mounted
2. Slim-Line - Ceiling Mounted


B. After your have selected your rail you must then select your hook preference:

1. Side Screw Picture Hook
2. Self - Gripping Hook

Compatible With:

 <p>Rails</p> <p>Slim-Line Ceiling-Mounted Rail</p> <p><i>For more about this product visit page 06</i></p>	 <p>Rails</p> <p>Click-Track Wall-Mounted Rail</p> <p><i>For more about this product visit page 08</i></p>	 <p>Cable Hooks</p> <p>Micro Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Basel - (Side Screw) - Mini Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>L-Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>
 <p>Cable Hooks</p> <p>Crane Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 018</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Small) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Sailors) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Picture Hook) with Safety-Lock</p> <p><i>For more about this product visit page 019</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Captains) - Picture Hook</p> <p><i>For more about this product visit page 019</i></p>

Installation Instructions:





Micro Hook - (Side Screw) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.35

The side screw picture hanging hook is fastened to the cable by tightening the screw on the side of the hook.

Rated Weight: 12 lb / 5.4 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized Finish



L-Hook - (Side Screw) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.75

The side screw picture hanging hook is fastened to the cable by tightening the screw on the side of the hook. In addition to art and picture hanging, the L-Hook is perfect for suspending both 3/16 gator and foam board using two hooks and reversing the upper hook as shown in the image.

Rated Weight: 12 lb / 5.4 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized Finish



Basel - (Side Screw) - Mini Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.45

The side screw Picture Hanging hook is fastened to the cable by hand tightening the screw on the side of the hook.

Rated Weight: 20 lb / 9 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized



Crane Hook - (Side Screw) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.95

The side screw picture hanging hook is fastened to the cable by tightening the screw on the side of the hook.

Rated Weight: 20 lb / 9 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized



Self-Gripping - (Small) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$7.25

The easy to use Self-Gripping (small) picture hook provides a secure means to hang pictures with adjustment practically effortless. Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Rated Weight: Steel Cables 32 lbs / 14.5 Kg
Finish: Silver Satin Anodized



Self Gripping - (Picture Hook) with Safety Lock

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$8.95

The Self-Gripping picture hook with safety lock provides an extra layer of security and is ideal for high traffic areas. The Safety hook one of the most secure means of hanging art when using cables assures that your picture will not detach from your painting. Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Rated Weight: Steel Cables 32 lb / 14.95 kg
Finish: Silver Satin Anodized Finish



Self-Gripping - (Sailors) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable/ Ball-End Cable / Cable Rods

Price \$8.95

The Self-Gripping Sailors hook makes adjustment of your art and pictures simple. Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Weight Tolerance: Steel Cables 33 lbs / 14.9 Kg
Finish: Silver Satin Anodized



Self Gripping - (Captains) - Picture Hook

For use with:
Hanging Cables

Price \$10.75

The Self-Gripping “Captains” hook if perfect for hanging items that require a larger profile surface.

Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Rated Weight: Steel Cables 32 lbs / 14.5 Kg
Finish: Black Satin Anodized Finish



Museum Rod Hook

For use with:
Hanging Rods

Price **\$6.35**

The Museum picture hanging with its (cam action) Self-Locking Hook easily slides on to the rod and grabs once the hook is placed in its horizontal position.

Material: Steel

Rated Weight: 54lbs / 24.5Kg on Aluminum Hanging Rods
80lbs / 36kgs on Stainless Steel

Finish: Black Satin Anodized Finish



Museum Rod Hook - (Heavy)

For use with:
Hanging Rods

Price **\$7.50**

The Museum (Heavy) Picture Hanging Hook - easily slides on to the rod and secures once the hook is placed in its horizontal position. The self-locking cam action mechanism can support upto 100 lb / 45 kg on a single Stainless Steel Rod.

Material: Steel

Rated Weight: 64lbs / 29.5Kg on Aluminum Hanging Rods
100bs / 45kgs on Stainless Steel

Finish: Silver Satin Anodized



Museum (Anti-Theft) Rod Hook

For use with:
Hanging Rods

Price **\$10.75**


The Museum Anti -Theft rod hook easily slides on to the rod and grabs once the hook is placed in its horizontal position.

Material: Steel

Rated Weight: 54 lb / 24.5 kg on Aluminum Hanging Rods
100 lb / 45 kg on Stainless Steel



Finish: Matte Silver







Museum Rod Hook / Specifications



SYSTEMATIC ART[®]
Picture Hanging Systems

MUSEUM HOOK - HEAVY DUTY / SPECIFICATIONS



	<h3>Fastening Clip - (Click-Track Rail)</h3> <p>For use with: Click Track Wall-Mounted</p> <hr/> <p>Price \$4.50</p> <hr/> <p>Super Heavy Duty Fastening Clip</p> <p>The square profile fastening clip provides the strongest solution for attaching and securing Click-Track to the wall</p> <p>Package Contents: (8) Square profile fastening clips (8) Drywall anchors (8) Screws. 24 pieces in total.</p>		<h3>Ball-End (Slider) - Hook</h3> <p>For use with: Click Track Wall-Mounted</p> <hr/> <p>Price \$4.25</p> <hr/> <p>The Ball-End Slider Hook used to accommodate the Loop-End Cable when using both the Slim-Line and Click-Tack rail systems.</p> <p>Material: Steel Available Colors: Multiple</p>
	<h3>End Cap - (Click Track Rail)</h3> <p>For use with: Click Track Wall-Mounted</p> <hr/> <p>Price \$2.25</p> <hr/> <p>The End-Cap is used to provide a nice and clean finish to exposed Rail-Ends.</p> <p>Material: Plastic Made Available Colors: Multiple</p>		<h3>Rail Connector - (Click-Track System)</h3> <p>For use with: Click Track Wall-Mounted</p> <hr/> <p>Price \$2.25</p> <hr/> <p>The track-connector makes joining multiple rails almost seamless while proving extra-added support for the Click-Track system.</p> <p>Material: Plastic Made</p>
	<h3>Corner Connector -(Click Track Rail)</h3> <p>For use with: Click Track Wall-Mounted</p> <hr/> <p>Price \$2.25</p> <hr/> <p>The Corner Connector is used to connect both inner and outer corners.</p> <p>Material: Plastic Made Available Colors: Multiple</p>		<h3>Ball-End Tesnioner</h3> <p>For use with: Click Track Hanging Cables / Click Track Wall-Mounted</p> <hr/> <p>Price \$12.95</p> <hr/> <p>The Ball End Tensioner is used together with the Click Track rail to create a tensioned system between two rails.</p>

Home / Office Solutions - Cable Accessories

Home / Office Solutions - Rod Accessories



Picture Stabilizer - (For Cable System) - Large Size

For use with:
Cable Systems

Price \$8.95



Picture Stabilizer - (For Hanging Rod)

For use with:
Rod Systems

Price \$8.95



Picture Stabilizer - (For Cable System) - Small Size

For use with:
Cable Systems

Price \$6.95

The picture stabilizer is very useful and ads increased stability when hanging more than one object on a single cable.

The stabilizer slides onto the cable through its center bracket and is hand tight-ened once you have selected your desired location.

Although not a mandatory accessory, it is suggested to use the stabilizer when hanging multiple smaller works of art on a single cable in order to keep the arti-cle perfectly straight and balanced.



Anchor and Screw set - (For Brick and Concrete)

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$3.95

Rail Installation Anchors and Screws for (Brick and Concrete)

(8-Pack)

Anchor Material: Lead Made
Package Contents: (8) Anchors and (8) screws. 16 Pieces in Total.



Anchor and Screw Set - Medium Weight

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$3.25

Silver: \$3.25

White: \$3.95

The White Self-Tapping plastic drywall Screw Anchor set is available in three different sizes. Each size upgrade increases weight capacity by approximately 20% in each instance based on variable wall and ceiling conditions and that Anchors are properly installed.It is highly recommended not to exceed the rails rated weight even with the use of Anchors able to tolerate more then the rails rating.



Anchor and Screw Set - Standard

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$2.95

Silver: \$2.95

White: \$3.25

Standard - Anchor and Screw set for drywall

(8-Pack)



Anchor and Screw Set - Heavy-Duty

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$3.75

Silver: \$3.75

White: \$3.75

Heavy Duty drywall Screw Anchor Set

(8-Pack)

Package Contents: (8) Anchors and (8) screws. 16 Pieces in Total.



E-Z Anchor Twist-N-Lock Drywall Anchors and Screws 25 Pack

For use with:
**Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted**

Price \$7.67

E-Z Anchor Twist-N-Lock (25) Drywall Anchors and Screws.
No pre-drilling is required. Install with a #2 Phillips screwdriver.



E-Z Anchor Twist-N-Lock Drywall Anchors and Screws 50pack

For use with:
**Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted**

Price \$13.89

E-Z Anchor Twist-N-Lock (50) Drywall Anchors and Screws.
No pre-drilling is required. Install with a #2 Phillips screwdriver.



E-Z Anchor 1 in. Mini Stud Solver Anchors (20-Pack)

For use with:
**Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted**

Price \$7.96

E-Z Anchor 1 in. Mini Stud Solvers (20-Pack) into drywall or wood studs to support up to 40 lb.

Package Quantity: 20
Primary Use: Light duty fastening in drywall or wood



E-Z Anchor Toggle-Lock (2-Pack)

For use with:
**Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted**

Price \$3.75

E-Z Anchor Toggle-Lock 100 lb 2-1/2 inch Screws.
Perfect for Tension Systems and heavy loads
Instalaltion Hardware for dry-wall



E-Z Anchor Toggle Lock (10-Pack)

For use with:
**Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted**

Price \$13.46

E-Z Anchor Toggle-Lock 100 lb 2-1/2 inch Screws. (10 -Pack)
Perfect for Tension Systems and heavy loads
Instalaltion Hardware for dry-wall.

Gallery & Museum Solutions



Gallery, Museum, Commercial Solutions



Home Office solutions are Picture Hanging Systems that are optimized for home or office usage. In order to put your system together you will need to choose your rail options, then your hanging options and finally your hook options. Once you have the core of your system selected, you can pick accessories or installation hardware from our offer.

1 > Select your Rail Option



Wall Mounted - Gallery Rail
Select your rail color and install using anchors and screws



Wall Mounted - Moderna Rail
Select your rail color nad install using anchors and screws.



Ceiling Mounted - Sky Rail
Select your rail color and install using anchors and screws

2 > Select your Hanging Option



J-Hook Cables
U-End Cables
Cable Rods



Hanging Rods



3 > Select your Hook Option



Cable Hooks
Available in Side Screw
and Self-Gripping



Rod Hooks
Various Options
available

Gallery, Museum, Commercial Solutions - Picture Rails



Gallery - Rail

Wall-Mounted

For use with:
Gallery Rail Cable Rods / Gallery Rail Hanging Cables / Gallery Rail Hanging Rods

Price		\$22.95
\$22.95	Natural - Milled	
\$23.95	Silver - Satin Anodized	
\$24.95	Black - Satin Anodized	
\$24.95	White - Powder Coated	

Examples:



Product Information

The Gallery series Art and Picture hanging rail is simple and inconspicuous in its design and is rated to with-stand weights of up to 175 lbs / 79 kg.

Once installed, you can easily hang paintings by just placing the Picture Hanging Rod, J-Cable hanging Rod or J-Hook picture hanging Cable on the rail's ledge.

The Gallery picture hanging rail offers additional flexibility by allowing you to change the rail's orientation to create a top-to-bottom tension Installation.

A good example of this would be to mount an upper and then a lower rail, but the lower would be turned upside down, giving you the ability to create a tension hanging system. The cable would be secured to the lower rail using the Tension Spring as you can see from the images below.

The Gallery Picture Hanging Rail, favored by many galleries and museums, is one of our best-selling items.

Application: Wall-Mounted
Material: Aluminum
Available Length: (72") - (182.88cm)
Rail Height: 23.6mm - (7/8")
Available Colors: Multiple
Rated Rail Weight: 175 lbs / 79 kg (When Properly Installed)

Instalation

Step 1.
To hang items using this Rail, you must first select your hanger preference:

- 1. Hanging Cable
- 2. Cable Rod
- 3. Hanging Rod

Step 2.
After you have selected your hanging option, you must then select the right Hook.

(Rod Hooks) for Picture Hanging Rods and **(Cable Hooks)** for Picture Hanging Cables.

Note: Hanging Rods - Hanging Cables - Picture Hooks and Accessories **Sold Separately!**

Gallery, Museum, Commercial Solutions - Picture Rails

Gallery - Rail

Wall-Mounted

For use with:


**Gallery Rail Cable Rods / Gallery Rail Hanging Cables /
Gallery Rail Hanging Rods**

Price

\$22.95

\$22.95	Natural - Milled
\$23.95	Silver - Satin Anodized
\$24.95	Black - Satin Anodized
\$24.95	White - Powder Coated

Compatible With:



Rods

Rods

Rods

J-Cable Rods


Aluminum Hanging Rods

Stainless Steel Hanging Rods

For more about this product
visit [page 041](#)

For more about this product
visit [page 042 and 043](#)

For more about this product
visit [page 044](#)



Cables

Cables

Cables

Cables

J-Hook Hanging Cables

U-End Hanging Cables

Cylinder Cables

Loop-End Cables (When using the "S" hook bracket)

For more about this product
visit [page 033](#)

For more about this product
visit [page 036](#)


For more about this product
visit [page 037 and 038](#)

For more about this product
visit [page 039 and 040](#)

Instalation Instructions:

The Gallery - Picture Hanging Rail mounts to the wall with the use of (8) No.6 Screws and Anchors.

Note: This rail comes with 8 Pre-drilled holes. Screw and Anchor kits are available and Sold Separately!





Hanging Cables

Hanging Rods

Systems

Hanging Rod

Hanging Cable



Gallery, Museum, Commercial Solutions - Picture Rails



Moderna - Rail

Wall-Mounted

For use with:
Moderna Cable Rods / Moderna Hanging Cables / Moderna Hanging Rods

Price	\$24.95
\$22.95	Natural - Milled
\$25.95	Silver - Satin Anodized
\$26.95	Black - Satin Anodized
\$26.95	White - Powder Coated

Examples:



Product Information

The Moderna Picture Hanging Rail slightly more detailed and decorative than the Gallery Hanging track is light in weight with the ability to withstand up to 250 lb / 114 kg of weight.

The highly durable and elegant Moderna Picture Hanging Track, with its professional look, is the perfect rail for new construction that includes, but not limited to flush-mounted wall applications.

The Moderna Picture Hanging Track also provides additional flexibility by allowing you to change the rail's orientation to create a top-to-bottom tension Installation.

A good example of this would be to mount an upper and then a lower rail, but the lower would be turned upside down, giving you the ability to create a tension hanging system. The cable would be secured to the lower rail using the Tension Spring as you can see from the images below.

Application: Wall-Mounted
Material: Aluminum
Available Length: (72") - (182.88cm)
Rail Height: 28mm - (1-1/8")
Available Colors: Multiple
Rated Rail Weight: 250 lb / 114 kg (When Properly Installed)

Instalation

Step 1.
To hang items using this Rail, you must first select your hanger preference:

- 1. Hanging Cable
- 2. Cable Rod
- 3. Hanging Rod

Step 2.
After you have selected your hanging option, you must then select the right Hook.

(Rod Hooks) for Picture Hanging Rods and (Cable Hooks) for Picture Hanging Cables.

Note: Hanging Rods - Hanging Cables - Picture Hooks and Accessories **Sold Separately!**

Gallery, Museum, Commercial Solutions - Picture Rails



Moderna - Rail

Wall-Mounted

For use with:


**Moderna Cable Rods / Moderna Hanging Cables /
Moderna Hanging Rods**

Price

\$24.95

\$22.95	Natural - Milled
\$25.95	Silver - Satin Anodized
\$26.95	Black - Satin Anodized
\$26.95	White - Powder Coated

Compatible With:



Rods

Rods

Rods

J-Cable Rods


Aluminum Hanging Rods

Stainless Steel Hanging Rods

For more about this product
visit [page 041](#)

For more about this product
visit [page 042 and 043](#)

For more about this product
visit [page 044](#)



Cables

Cables

Cables

Cables

J-Hook Hanging Cables

U-End Hanging Cables

Cylinder Cables

Loop-End Cables (When using the "S" hook bracket)

For more about this product
visit [page 033](#)

For more about this product
visit [page 036](#)


For more about this product
visit [page 037 and 038](#)

For more about this product
visit [page 039 and 040](#)

Installation Instructions:

The Moderna - Picture Hanging Rail mounts to the wall with the use of (8) No.6 Screws and Anchors.

Note: This rail comes with 8 Pre-drilled holes.



Hanging Cables

Hanging Rods

Moderna - Wall Mounted System



Gallery, Museum, Commercial Solutions - Picture Rails



Sky - Rail
Ceiling-Mounted

For use with:
Sky Rail Cable Rods / Sky Rail Hanging Cables / Sky Rail Hanging Rods

Price	\$27.95
\$27.95	Natural - Milled
\$28.95	Silver - Satin Anodized
\$29.95	Black - Satin Anodized
\$29.95	White - Powder Coated

Examples:



Product Information

For those who prefer a ceiling mounted application to a wall mounted one, the Aluminum Sky rail serves as the ideal picture hanging solution.

The Sky-Rail is perfect for rooms that contain walls of brick, marble, wood, tile or mirror and can be secured to any ceiling made of drywall, wood, steel, tin or concrete without damage to walls.

Application: Ceiling-Mounted
Material: Aluminum
Available Length: (72") - (182.88cm)
Rail Height: 30mm - (1-1/8")
Available Colors: Multiple
Rated Rail Weight: 145lb / 65kg (When Properly Installed)

Instalation

Step 1.
To hang items using this Rail, you must first select your hanger preference:

- 1. Hanging Cable
- 2. Cable Rod
- 3. Hanging Rod

Step 2.
After you have selected your hanging option, you must then select the right Hook.

(Rod Hooks) for Picture Hanging Rods and (Cable Hooks) for Picture Hanging Cables.

Note: Hanging Rods - Hanging Cables - Picture Hooks and Accessories **Sold Separately!**

Gallery, Museum, Commercial Solutions - Picture Rails



Sky - Rail

Ceiling-Mounted

For use with:


Sky Rail Cable Rods / Sky Rail Hanging Cables / Sky Rail Hanging Rods

Price

\$27.95

\$27.95	Natural - Milled
\$28.95	Silver - Satin Anodized
\$29.95	Black - Satin Anodized
\$29.95	White - Powder Coated

Compatible With:



Rods

Rods

Rods

J-Cable Rods


Aluminum Hanging Rods

Stainless Steel Hanging Rods

For more about this product visit [page 041](#)

For more about this product visit [page 042 and 043](#)

For more about this product visit [page 044](#)



Cables

Cables

Cables

Cables

J-Hook Hanging Cables

U-End Hanging Cables

Cylinder Cables

Loop-End Cables (When using the "S" hook bracket)

For more about this product visit [page 033 - 035](#)

For more about this product visit [page 036](#)

For more about this product visit [page 037 and 038](#)


For more about this product visit [page 039 and 040](#)

Installation Instructions:

The Sky - Picture Hanging Rail mounts to the ceiling with the use of (8) No.6 Screws and Anchors.

Note This rail comes with 8 Pre-drilled holes.

Screw and Anchor kits are available and Sold Separately!



Hanging Cables

Hanging Rods

How it works:



Gallery, Museum, Commercial Solutions - Hanging Cables



J-Hook Cable - (Stainless Steel)

For use with:
Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price	\$6.95
\$6.95	48" / 121 cm
\$7.95	72" / 182 cm
\$8.95	96" / 243 cm
\$9.95	120" / 304 cm

Product Information

The J-Hook Cable system allows for hanging objects using both wall and ceiling-mounted rail systems.

The installation of the J-Hook Cable is as easy as just placing the Cable Hook on the rails ledge.












The popular J-Hook cable can accommodate a wide array of hooks, clamps and gliders found in our accessories section. Constructed from stainless steel the 2mm J-Hook cable provides both strength and a professional look for any art and picture installation.

Material: Stainless Steel
Cable Thickness: 1.8mm / 0.709" - 47/64
Cable End: Fused
Available Lengths: Multiple
Available Colors: Multiple
Rated Weight: 34 lbs / 15 kg


Instalation

- Step 1.**
To hang items using this hanging cable, first select your rail preference: Sky Rail - Moderna Rail - Gallery Rail
- Step 2.**
After you have selected your rail you must then select your Cable Hook.

Compatible With:

 Rails Gallery Rail Wall Mounted <i>For more about this product visit page 027</i>	 Rails Moderna - Rail Wall Mounted <i>For more about this product visit page 029</i>	 Rails Sky - Rail Ceilling Mounted <i>For more about this product visit page 031</i>	 Cable Hooks Micro Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Basel - (Side Screw) - Mini Hook <i>For more about this product visit page 045</i>	 Cable Hooks L-Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>
 Cable Hooks Crane Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Self-Gripping - (Small) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self-Gripping - (Sailors) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Picture Hook) with Safety-Lock <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Captains) - Picture Hook <i>For more about this product visit page 046</i>	

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Hanging Cables



J-Hook Cable - (Clear) - Nylon

For use with:
Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$5.50
\$5.50	48" / 121 cm	
\$6.50	72" / 182 cm	
\$7.00	96" / 243 cm	
\$7.50	120" / 304 cm	

Product Information

The J-Hook Hanging Cable allows for hanging objects using both wall and ceiling-mounted rails.

The Synthetic Nylon J-Hook Cable, practically invisible to the eye once installed, can hold up to 15 lbs of weight and can accommodate a wide range of cable hooks available in our Accessories section.

The J-Hook Hanging Cable works with the following picture rails:

Sky - Ceiling Mounted • Moderna - Wall Mounted • Gallery - Wall Mounted

Material: Stainless Steel
Cable Thickness: 1.8mm / 0.709" - 47/64
Cable End: Fused
Available Lengths: Multiple
Available Colors: Multiple
Rated Weight: 34 lbs / 15 kg

Instalation












The installation of the J-Hook Cable is as easy as just placing the cable hook on the rail.

1. To hang items using this hanging cable, first select your rail preference: Sky Rail - Moderna Rail - Gallery Rail


2. After you have selected your rail you must then select your Cable Hook.

To view available Cable Hooks, visit our Accessories section.

Compatible With:

 Rails Gallery Rail Wall Mounted <i>For more about this product visit page 027</i>	 Rails Moderna - Rail Wall Mounted <i>For more about this product visit page 029</i>	 Rails Sky - Rail Ceilling Mounted <i>For more about this product visit page 031</i>	 Cable Hooks Micro Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Basel - (Side Screw) - Mini Hook <i>For more about this product visit page 045</i>	 Cable Hooks L-Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>
 Cable Hooks Crane Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Self-Gripping - (Small) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self-Gripping - (Sailors) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Picture Hook) with Safety-Lock <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Captains) - Picture Hook <i>For more about this product visit page 046</i>	

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Hanging Cables



J-Hook Cable - Heavy Duty - Stainless Steel

For use with:
Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price	\$21.95
\$21.95	48" / 121 cm
\$23.95	72" / 182 cm
\$25.95	96" / 243 cm
\$27.95	120" / 304 cm

Compatible With:



Gallery Rail
Wall Mounted

For more about this product
visit [page 027](#)



Moderna - Rail
Wall Mounted

For more about this product
visit [page 029](#)



Sky - Rail
Ceilling Mounted

For more about this product
visit [page 031](#)



Self-Gripping - Heavy Duty - (JUMBO) - Hook

For more about this product
visit [page 046](#)

Product Information

The J-Hook Cable system allows for hanging objects using both wall and ceiling-mounted rail systems.

The installation of the J-Hook Cable is as easy as just placing the Cable Hook on the rail.

The Stainless Steel J-Hook Cable - (Pro Series), works in conjunction with the stainless-steel (Jumbo) Self-Gripping Hook.

The J-Hook Hanging Cable works with the following:
Rails: Sky - Ceiling Mounted • Moderna - Wall Mounted • Gallery - Wall Mounted
Hook: Self-Gripping (Jumbo) Hook;**Only!**

Material: Stainless Steel
Cable Thickness: 3.1750mm - 1/8"
Cable Construction: 7 x 19
Cale End: Fused
Available Lengths: Multiple
Rated Weight: 155 lbs / 70 kg

Instalation

To hang items using this hanging cable, first select your rail preference:
Sky Rail - Moderna Rail - Gallery Rail

After you have selected your rail you must then select the Self-Gripping (Jumbo) Hook.

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Hanging Cables



U-End Cable - (Stainless-Steel)

For use with:
Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price	\$6.95
\$21.95 48" / 121 cm	
\$7.95 72" / 182 cm	
\$8.95 96" / 243 cm	
\$9.95 120" / 304 cm	

Compatible With:

Product Information

The **U-End** picture hanging cable allows for hanging objects using both wall and ceiling-mounted picture rail systems.

The Stainless Steel **U-End**, works particularly well when rails are flush mounted to the wall. Additionally, The U-End cable works perfectly when used in either a two rail tension application or with our lower tension gliders available in self-gripping or Ball-End.

The U-End picture hanging cable works with the following rails:

- Sky - Ceiling Mounted • Moderna - Wall Mounted
- Gallery - Wall Mounted












Material: Stainless Steel
Cable Thickness: 1.8mm / 7 x 7
Cable End: Fused
Available Lengths: Multiple
Rated Weight: 34 lbs / 15 kg

Instalation


The installation of the **U-End** picture hanging cable is as easy as just placing the **Cable Hook** on the rails ledge.

1. To hang items using this hanging cable, first select your rail preference: **Sky Rail - Moderna Rail - Gallery** picture rail systems.
2. After you have selected your rail you must then select your **Cable Hook**.

To view available **Cable Picture Hooks** visit our Accessories section.

 Rails Gallery Rail Wall Mounted <i>For more about this product visit page 027</i>	 Rails Moderna - Rail Wall Mounted <i>For more about this product visit page 029</i>	 Rails Sky - Rail Ceilling Mounted <i>For more about this product visit page 031</i>	 Cable Hooks Micro Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Basel - (Side Screw) - Mini Hook <i>For more about this product visit page 045</i>	 Cable Hooks L-Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>
 Cable Hooks Crane Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Self-Gripping - (Small) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self-Gripping - (Sailors) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Picture Hook) with Safety-Lock <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Captains) - Picture Hook <i>For more about this product visit page 046</i>	

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Hanging Cables



Cylinder Cable - Stainless Steel

For use with:

Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price

\$7.25

\$7.25 48" / 121 cm

\$8.25 72" / 182 cm

\$9.25 96" / 243 cm

\$10.25 120" / 304 cm

Compatible With:

Product Information

The **Stainless Steel** picture hanging Cylinder Cable allows for hanging objects using both wall and ceiling-mounted rails.

The Stainless Steel Cylinder cable once installed, can hold up to 32 lbs of weight and can accommodate a wide range of cable hooks available in our Accessories section.

The U-End picture hanging cable works with the following rails:

Sky - Ceiling Mounted • Moderna - Wall Mounted • Gallery - Wall Mounted

Cable Material: Stainless Steel

Cylinder Color: Silver

Cable Thickness: 1.8mm / 0.709" - 47/64

Cable End: Fused

Available Lengths: Multiple

Rated Weight: 32 lbs / 14.5kg

Instalation


The installation of the **Cylinder cable** is as easy as just placing the Cylinder on the rails ledge.












1. To hang items using this hanging cable, first select your rail preference: Sky Rail - Moderna Rail - Gallery Rail

2. After you have selected your rail you must then select your Cable Hook.

To view available **Cable Hooks**, visit our Accessories section.

Instalation Instructions:



 <p>Rails</p> <p>Gallery Rail Wall Mounted</p> <p><i>For more about this product visit page 027</i></p>	 <p>Rails</p> <p>Moderna - Rail Wall Mounted</p> <p><i>For more about this product visit page 029</i></p>	 <p>Rails</p> <p>Sky - Rail Ceilling Mounted</p> <p><i>For more about this product visit page 031</i></p>	 <p>Cable Hooks</p> <p>Micro Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 045</i></p>	 <p>Cable Hooks</p> <p>Basel - (Side Screw) - Mini Hook</p> <p><i>For more about this product visit page 045</i></p>	 <p>Cable Hooks</p> <p>L-Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 045</i></p>
 <p>Cable Hooks</p> <p>Crane Hook - (Side Screw) - Picture Hook</p> <p><i>For more about this product visit page 045</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Small) - Picture Hook</p> <p><i>For more about this product visit page 046</i></p>	 <p>Cable Hooks</p> <p>Self-Gripping - (Sailors) - Picture Hook</p> <p><i>For more about this product visit page 046</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Picture Hook) with Safety-Lock</p> <p><i>For more about this product visit page 046</i></p>	 <p>Cable Hooks</p> <p>Self Gripping - (Captains) - Picture Hook</p> <p><i>For more about this product visit page 046</i></p>	

Gallery, Museum, Commercial Solutions - Hanging Cables



Cylinder Cable - Nylon

For use with:

Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price

\$4.25

\$4.25	39"
\$4.75	59"
\$5.25	78"
\$6.00	98"

Compatible With:

Product Information

The **Nylon** picture hanging **Cylinder Cable** allows for hanging objects using both wall and ceiling-mounted rails.

The Synthetic Nylon picture hanging **Cylinder** cable practically invisible to the eye once installed, can hold up to 24 lbs of weight and can accommodate a wide range of cable hooks available in our Accessories section.

The **Cylinder Picture Hanging Cable** works with the following rails:

Sky - Ceiling Mounted • Moderna - Wall Mounted • Gallery - Wall Mounted

Cable Material: Synthetic Nylon

Cylinder Colors: Silver - White Available

Lengths: Multiple

Rated Weight: 24 lbs / 10.8 kg












Installation

The installation of the **Cylinder** cable is as easy as just placing the Cylinder on the rails ledge.

1. To hang items using this hanging cable, first select your rail preference: **Sky Rail - Moderna Rail - Gallery Rail**

2. After you have selected your rail you must then select your **Cable Hook**.

To view available **Cable Hooks**, visit our Accessories section.

					
Rails	Rails	Rails	Cable Hooks	Cable Hooks	Cable Hooks
Gallery Rail Wall Mounted	Moderna - Rail Wall Mounted	Sky - Rail Ceilling Mounted	Micro Hook - (Side Screw) - Picture Hook	Basel - (Side Screw) - Mini Hook	L-Hook - (Side Screw) - Picture Hook
<i>For more about this product visit page 027</i>	<i>For more about this product visit page 029</i>	<i>For more about this product visit page 031</i>	<i>For more about this product visit page 045</i>	<i>For more about this product visit page 045</i>	<i>For more about this product visit page 045</i>
					
Cable Hooks	Cable Hooks	Cable Hooks	Cable Hooks	Cable Hooks	
Crane Hook - (Side Screw) - Picture Hook	Self-Gripping - (Small) - Picture Hook	Self-Gripping - (Sailors) - Picture Hook	Self Gripping - (Picture Hook) with Safety-Lock	Self Gripping - (Captains) - Picture Hook	
<i>For more about this product visit page 045</i>	<i>For more about this product visit page 046</i>	<i>For more about this product visit page 046</i>	<i>For more about this product visit page 046</i>	<i>For more about this product visit page 046</i>	

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Hanging Cables



Loop-End Cable
(Stainless Steel)

For use with:
Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$6.25
\$6.25	48" / 121 cm	
\$7.25	72" / 182 cm	
\$8.25	96" / 243 cm	
\$9.25	120" / 304 cm	

Product Information

The stainless-steel **Picture Hanging Loop-Cable** designed to work with, but not limited to the S-Hook provides great strength for hanging objects.

The picture hanging **Loop Cable** can also work with both Slim-Line and Click-Tracks rails with the use of the (Ball-End- Silder -Hook)


The Art and Picture hanging Loop-Cable provides the maximum strength for hanging objects with the use of cables.

Material: Stainless Steel
Cable Thickness: 1.8mm / 0.709" - 47/64
Cable End: Fused
Available Length: Multiple
Rated Weight: 40 lbs / 18 kg

Instalation

A typical installation would be to attach the S-Hook to either the Gallery, Moderna or Sky Picture hanging rail's and then affix the **Loop-Cable** to the S-Hook as shown in the photos below.


Compatible With:



Rails

Gallery Rail
Wall Mounted


For more about this product visit page 027



Rails

Moderna - Rail
Wall Mounted


For more about this product visit page 029



Rails

Sky - Rail
Ceilling Mounted


For more about this product visit page 031



Cable Hooks

Micro Hook - (Side Screw) - Picture Hook


For more about this product visit page 045



Cable Hooks

Basel - (Side Screw) - Mini Hook


For more about this product visit page 045



Cable Hooks

L-Hook - (Side Screw) - Picture Hook


For more about this product visit page 045



Cable Hooks

Crane Hook - (Side Screw) - Picture Hook


For more about this product visit page 045



Cable Hooks

Self-Gripping - (Small) - Picture Hook


For more about this product visit page 046



Cable Hooks

Self-Gripping - (Sailors) - Picture Hook


For more about this product visit page 046



Cable Hooks

Self Gripping - (Picture Hook) with Safety-Lock

For more about this product visit page 046




Cable Hooks

Self Gripping - (Captains) - Picture Hook

For more about this product visit page 046

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Hanging Cables



Loop-End Cable
(Nylon)

For use with:
Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$4.00
\$4.00	48" / 121 cm	
\$4.50	72" / 182 cm	
\$4.85	96" / 243 cm	
\$5.15	120" / 304 cm	

Product Information

The Nylon Picture Hanging **Loop-Cable** designed to work with, but not limited to the S-Hook provides an almost invisible look when hanging objects.












The art hanging **Loop Cable** can also work with both Slim-Line and Click-Track picture rail with the use of the Ball-End-Slider Hook.

Material: Synthetic Nylon
Available Colors: Clear
Available Length: Multiple
Rated Weight: 12 lbs / 5.4 kg


Instalation

A typical installation would be to attach the **S-Hook** to either the Gallery, Moderna or Sky Picture Hanging rails and then affix the Loop-Cable to the **S-Hook** as shown in the photos below.

Compatible With:

 Rails Gallery Rail Wall Mounted <i>For more about this product visit page 027</i>	 Rails Moderna - Rail Wall Mounted <i>For more about this product visit page 029</i>	 Rails Sky - Rail Ceilling Mounted <i>For more about this product visit page 031</i>	 Cable Hooks Micro Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Basel - (Side Screw) - Mini Hook <i>For more about this product visit page 045</i>	 Cable Hooks L-Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>
 Cable Hooks Crane Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Self-Gripping - (Small) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self-Gripping - (Sailors) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Picture Hook) with Safety-Lock <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Captains) - Picture Hook <i>For more about this product visit page 046</i>	

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Cable Rods



J - (Cable Rod) - Steel

For use with:
Cable Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$7.95
\$7.95	Silver	
\$7.95	Black	
\$7.95	White	

Product Information

The **J-Cable Rod** a hybrid of both the hanging cable and square profile rod gives users a viable hanging solution suitable for art, pictures, posters and signs.












The Cable-Rod was developed for residential and office type settings and for users who don't require the strength and boldness of the commercial grade hanging rod and alternative to hanging cables.

The extremely thin and robust **J-Cable-Rod** maintains a diameter of 1/16" making it compatible with our entire line of self-gripping Hooks, side screw hooks, side clamps, and picture stabilizers.

Note: The J-Cable Rod should not be confused with the heavy-duty square profile Hanging-Rod. For objects that exceed this items rated weight, it is suggested to select other rods available on the site.

Material: Steel
Rod Profile: Round -1/16"
Available Colors: Silver • White • Black
Available Lengths: Multiple
Rated Weight: 30lb / 13Kg

Compatible With:

 Rails Gallery Rail Wall Mounted <i>For more about this product visit page 027</i>	 Rails Moderna - Rail Wall Mounted <i>For more about this product visit page 029</i>	 Rails Sky - Rail Ceilling Mounted <i>For more about this product visit page 031</i>	 Cable Hooks Micro Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Basel - (Side Screw) - Mini Hook <i>For more about this product visit page 045</i>	 Cable Hooks L-Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>
 Cable Hooks Crane Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Self-Gripping - (Small) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self-Gripping - (Sailors) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Picture Hook) with Safety-Lock <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Captains) - Picture Hook <i>For more about this product visit page 046</i>	

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Picture Hanging Rods




Classic - Hanging Rod - Aluminum

For use with:
Rod Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$9.95
\$9.95	Silver	
\$9.95	Black	
\$9.95	White	


Compatible With:



Rails

Gallery Rail
Wall Mounted


For more about this product visit page 027



Rails

Moderna - Rail
Wall Mounted


For more about this product visit page 029



Rails

Sky - Rail
Ceilling Mounted


For more about this product visit page 031



Rod Hooks

Museum Rod Hook
Steel / 54 lbs


For more about this product visit page 047



Rod Hooks

Museum Rod Hook - (Heavy)
Steel / 55 lbs

For more about this product visit page 047



Rod Hooks

Museum (Anti-Theft) Rod Hook
Steel / 54 lbs

For more about this product visit page 047


Product Information

The **Picture Hanging Rod** considered by many museums, galleries and collectors of being the quintessential picture hanging tool is available through Systematic Art in various colors and lengths.

The **Picture Hanging Rod** is able to work with both wall and ceiling-mounted rail systems providing a secure and elegant means of hanging art.

Material: Aluminum
Rod Profile: Square
Available Colors: Silver - White - Black
Available Lengths: Multiple
Rated Weight: 70lb / 31Kg

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Picture Hanging Rods




Hanging Rod - (J-Bend) - Aluminum

For use with:
Rod Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$9.95
\$9.95	20"	
\$13.95	40"	
\$16.95	60"	
\$19.95	80"	


Compatible With:



Rails

Gallery Rail
Wall Mounted


For more about this product visit page 027



Rails

Moderna - Rail
Wall Mounted


For more about this product visit page 029



Rails

Sky - Rail
Ceilling Mounted


For more about this product visit page 031



Rod Hooks

Museum Rod Hook
Steel / 54 lbs


For more about this product visit page 047



Rod Hooks

Museum Rod Hook - (Heavy)
Steel / 55 lbs

For more about this product visit page 047



Rod Hooks

Museum (Anti-Theft) Rod Hook
Steel / 54 lbs

For more about this product visit page 047


Product Information

The **Picture Hanging Rod** considered by many museums, galleries and collectors of being the quintessential picture hanging tool is available through Systematic Art in various colors and lengths.

The **Picture Hanging Rod** is able to work with both wall and ceiling-mounted rail systems providing a secure and elegant means of hanging art.

Material: Aluminum
Rod Profile: Square
Available Colors: Multiple
Available Lengths: Multiple
Rated Weight: 70lb / 31Kg

Instalation Instructions:



Gallery, Museum, Commercial Solutions - Picture Hanging Rods




Hanging Rod - (J-Bend) -
Stainless Steel

For use with:
Rod Hooks / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted

Price		\$17.95
\$17.95	20"	
\$20.95	40"	
\$23.95	60"	
\$26.95	80"	


Compatible With:



Rails

Gallery Rail
Wall Mounted


*For more about this product
visit [page 027](#)*



Rails

Moderna - Rail
Wall Mounted


*For more about this product
visit [page 029](#)*



Rails

Sky - Rail
Ceiling Mounted


*For more about this product
visit [page 031](#)*



Rod Hooks

Museum Rod Hook
Steel / 54 lbs


*For more about this product
visit [page 047](#)*



Rod Hooks

Museum Rod Hook - (Heavy)
Steel / 55 lbs

*For more about this product
visit [page 047](#)*



Rod Hooks

Museum (Anti-Theft) Rod Hook
Steel / 54 lbs

*For more about this product
visit [page 047](#)*

Product Information

The **Stainless Steel Hanging Rod** Brother to its Sister the Aluminum Rod has the ability to withstand weights of up to 100 lb / 45 Kg using our Museum-Heavy Hook.

The **Stainless Rod** is compatible with both wall and ceiling-mounted rail systems providing for an extra secure and elegant means of hanging art.

Material: Stainless Steel
Rod Profile: Square
Available Colors: Matte Silver
Available Lengths: Multiple
Rated Weight: 100lb / 45Kg

Instalation Instructions:

Ceiling Mounted Systems



Wall Mountec



I-Bend Hanging Rod - Stainless Steel

Gallery, Museum, Commercial Solutions - Cable Hooks



Micro Hook - (Side Screw) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.35

The side screw picture hanging hook is fastened to the cable by tightening the screw on the side of the hook.

Rated Weight: 12 lb / 5.4 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized Finish



L-Hook - (Side Screw) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.75

The side screw picture hanging hook is fastened to the cable by tightening the screw on the side of the hook. In addition to art and picture hanging, the L-Hook is perfect for suspending both 3/16 gator and foam board using two hooks and reversing the upper hook as shown in the image.

Rated Weight: 12 lb / 5.4 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized Finish



Basel - (Side Screw) - Mini Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.45

The side screw Picture Hanging hook is fastened to the cable by hand tightening the screw on the side of the hook.

Rated Weight: 20 lb / 9 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized



Crane Hook - (Side Screw) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$4.95

The side screw picture hanging hook is fastened to the cable by tightening the screw on the side of the hook.

Rated Weight: 20 lb / 9 kg Per Steel Cable
10 lb / 5 kg Per Nylon Cable
Finish: Silver Satin Anodized

Gallery, Museum, Commercial Solutions - Cable Hooks



Self-Gripping - (Small) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$7.25

The easy to use Self-Gripping (small) picture hook provides a secure means to hang pictures with adjustment practically effortless. Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Rated Weight: Steel Cables 32 lbs / 14.5 Kg
Finish: Silver Satin Anodized



Self-Gripping - (Sailors) - Picture Hook

For use with:
J-Hook Cable / Cobra Cable/ Ball-End Cable / Cable Rods

Price \$8.95

The Self-Gripping Sailors hook makes adjustment of your art and pictures simple. Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Weight Tolerance: Steel Cables 33 lbs / 14.9 Kg
Finish: Silver Satin Anodized



Self Gripping - (Picture Hook) with Safety Lock

For use with:
J-Hook Cable / Cobra Cable / Ball-End Cable / Cable Rods

Price \$10.75

The Self-Gripping picture hook with safety lock provides an extra layer of security and is ideal for high traffic areas. The Safety hook one of the most secure means of hanging art when using cables assures that your picture will not detach from your painting. Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Rated Weight: Steel Cables 32 lb / 14.95 kg
Finish: Silver Satin Anodized Finish



Self Gripping - (Captains) - Picture Hook

For use with:
Hanging Cables

Price \$10.75

The Self-Gripping “Captains” hook if perfect for hanging items that require a larger profile surface.

Adjustment of the hook is done by simply pressing the hook and sliding it to the desired location on the cable. Once released the hook is then secure and ready for the object to be hung.

Rated Weight: Steel Cables 32 lbs / 14.5 Kg
Finish: Black Satin Anodized Finish



Self-Gripping - Heavy Duty - (JUMBO) - Hook

For use with:
J-Hook Cable (Pro) Series Only!

Price \$39.95

The Self-Gripping (Jumbo) picture hanging hook along with the added Safety Guard offers the most secure method of hanging art when using cable.

The added Safety Guard assures that your picture cable or D-ring will not detach from the picture hook providing and extra layer of security and deterrent against theft while making this item perfect for high traffic areas

Weight Tolerance: Steel Cables 135 lbs / 61 Kg
Finish: Chrome Polished

Gallery, Museum, Commercial Solutions - Rod Hooks



Museum Rod Hook

For use with:
Hanging Rods

Price \$6.35

The Museum picture hanging with its (cam action) Self-Locking Hook easily slides on to the rod and grabs once the hook is placed in its horizontal position.

Material: Steel
Rated Weight: 54lbs / 24.5Kg on Aluminum Hanging Rods
80lbs / 36kgs on Stainless Steel
Finish: Black Satin Anodized Finish



Museum Rod Hook - (Heavy)

For use with:
Hanging Rods

Price \$7.50

The Museum (Heavy) Picture Hanging Hook - easily slides on to the rod and secures once the hook is placed in its horizontal position. The self-locking cam action mechanism can support upto 100 lb / 45 kg on a single Stainless Steel Rod.

Material: Steel
Rated Weight: 64lbs / 29.5Kg on Aluminum Hanging Rods
100lbs / 45kgs on Stainless Steel
Finish: Silver Satin Anodized



Museum (Anti-Theft) Rod Hook

For use with:
Hanging Rods

Price \$10.75

The Museum Anti -Theft rod hook easily slides on to the rod and grabs once the hook is placed in its horizontal position.



Material: Steel
Rated Weight: 54 lb / 24.5 kg on Aluminum Hanging Rods
100 lb / 45 kg on Stainless Steel
Finish: Matte Silver

Museum Rod Hook / Specifications



SYSTEMATIC ART[®]
Picture Hanging Systems

MUSEUM HOOK - HEAVY DUTY / SPECIFICATIONS



Gallery, Museum, Commercial Solutions - Cable Accessories



S - Hook

For use with:
Loop End Cable

Price \$1.95

The S-Hook is used in conjunction with the loop end cable providing excellent carrying weight for hanging objects.

The S-Hook is placed on the rails ledge and the Loop-End cable is placed on the hook.



Picture Stabilizer -
(For Cable System) - Small Size

For use with:
Cable Systems

Price \$6.95

The picture stabilizer is very useful and ads increased stability when hanging more than one object on a single cable.

The stabilizer slides onto the cable through its center bracket and is hand tightened once you have selected your desired location.

Although not a mandatory accessory, it is suggested to use the stabilizer when hanging multiple smaller works of art on a single cable in order to keep the article perfectly straight and balanced.



Picture Stabilizer -
(For Cable System) - Large Size

For use with:
Cable Systems

Price 8.95

The picture stabilizer is very useful and ads increased stability when hanging more than one object on a single cable.

The stabilizer slides onto the cable through its center bracket and is hand tightened once you have selected your desired location.

Although not a mandatory accessory, it is suggested to use the stabilizer when hanging multiple smaller works of art on a single cable in order to keep the article perfectly straight and balanced.

Gallery, Museum, Commercial Solutions - Rod Accessories



Anti-Theft / Rod Security
Bracket

For use with:
Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted / Classic Hanging Rod - Aluminum / "J" Hanging Rod - Aluminum / "J" hanging Rod - Stainless Steel

Price \$8.95

The Rod Security Bracket provides an extra line of defense against the possibility of theft when paintings are displayed in public areas such as offices, retail stores, restaurants, lobbies and locations where potential theft can occur.

The Rod Security Bracket does not provide any **guarantee** against theft. However, it will make removal of the hanging rod a time consuming chal-lenge that will require the use of tools to remove.

Material: Steel
Available Colors: White Powder Coated ,Black Powder Coated, Silver Powder Coated



Self-Gripping - Heavy Duty -
(JUMBO) - Hook

For use with:
Rod Systems

Price \$10.75

The **picture stabilizer** is very useful and ads increased stability when hanging more than one painting on a single Rod.

The stabilizer slides onto the the rod through its center bracket and is hand tightened once you have selected your desired location.

Although not a mandatory accessory, it is suggested to use the picture stabilizer when hanging smaller objects on a single rod in order to keep the article perfectly straight.

Gallery, Museum, Commercial Solutions - Rail Instalation Hardware



Anchor and Screw set -
(For Brick and Concrete)

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$3.95

Rail Installation Anchors and Screws for (Brick and Concrete)

(8-Pack)

Anchor Material: Lead Made
Package Contents: (8) Anchors and (8) screws. 16 Pieces in Total.



Anchor and Screw Set -
Medium Weight

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$3.25

Silver: \$3.25

White: \$3.95

The White Self-Tapping plastic drywall Screw Anchor set is available in three different sizes. Each size upgrade increases weight capacity by approximately 20% in each instance based on variable wall and ceiling conditions and that Anchors are properly installed.It is highly recommended not to exceed the rails rated weight even with the use of Anchors able to tolerate more then the rails rating.



Anchor and Screw Set
- Standard

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$2.95

Silver: \$2.95

White: \$3.25

Standard - Anchor and Screw set for drywall

(8-Pack)



Anchor and Screw Set -
Heavy-Duty

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$3.75

Silver: \$3.75

White: \$3.75

Heavy Duty drywall Screw Anchor Set

(8-Pack)

Package Contents: (8) Anchors and (8) screws. 16 Pieces in Total.



E-Z Anchor Twist-N-Lock Drywall Anchors and Screws 25 Pack

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$7.67

E-Z Anchor Twist-N-Lock (25) Drywall Anchors and Screws.
No pre-drilling is required. Install with a #2 Phillips screwdriver.



E-Z Anchor Twist-N-Lock Drywall Anchors and Screws 50pack

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$13.89

E-Z Anchor Twist-N-Lock (50) Drywall Anchors and Screws.
No pre-drilling is required. Install with a #2 Phillips screwdriver.



E-Z Anchor 1 in. Mini Stud Solver Anchors (20-Pack)

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$7.96

E-Z Anchor 1 in. Mini Stud Solvers (20-Pack) into drywall or wood studs to support up to 40 lb.

Package Quantity: 20
Primary Use: Light duty fastening in drywall or wood



E-Z Anchor Toggle-Lock (2-Pack)

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$3.75

E-Z Anchor Toggle-Lock 100 lb 2-1/2 inch Screws.
Perfect for Tension Systems and heavy loads
Instalaltion Hardware for dry-wall



E-Z Anchor Toggle Lock (10-Pack)

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted / Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price\$13.46

E-Z Anchor Toggle-Lock 100 lb 2-1/2 inch Screws. (10 -Pack)
Perfect for Tension Systems and heavy loads
Instalaltion Hardware for dry-wall.

Tension Systems



Tension Systems - Tension Systems



Tension Cable Set - (Fixed) - Ceiling to Floor Kit

For use with:
Cable Hooks / Side Clamps

Price		\$27.95
\$27.95	10' / 304.8cm	
\$29.95	20' / 609.6cm	

Examples:



Product Information

The (Fixed) **Point-To-Point** tension cable set with its upper cable Coupler and lower Tensioner gives users the ability to suspend objects from Ceiling to Floor.

The Ceiling to Floor tension cable set is perfect for picture hanging, window displays, offices, display cases, showrooms, menu boards, signage, point of purchase, conference rooms, and locations where items are frequently changed or for areas that need an extra level of stability.

After both the upper and lower supports have been installed, the cable is threaded through the upper support to the lower tensioner and then secured to the provided **Ball-Anchor**.

After the cable has been threaded through the lower support and secured to the Ball-Anchor, the excess cable is cut and the lower Tensioner is then turned clock-wise to create the desired tension.

Application: Ceiling to Floor
Material: Aluminum
Available Finishes: Matte Silver / Anodized Black - Semi Gloss / White Powder Coated - Semi Gloss
Available Cable Lengths: 10' / 304.8cm or 20' / 609.6cm
Rated Weight: 22 lbs / 9.9kg (Solid Structure) - 7 lbs / 3.1kg (Drywall-Ceiling)

- The following items are included with (Fixed) Ceiling to Floor Tension Cable Set:
- (1) Upper Cable Coupler - (Top support)
 - (1) Lower Tensioner - (Lower Support)
 - (1) Cable
 - (1) Ball-Anchor
 - (1) Spring
 - (1) Hex Wrench
 - (2) Upper and Lower Base mounting screws
 - (2) Anchors and (2) screws for basic (light weight drywall Installation)

The products rated weight pertains to the hardware only.
Actual carrying weight may vary based on both installation and variable conditions of the structure.

Installation

Note: Toggle Bolt Anchors are required in order to achieve max weight load when installed to drywall ceiling.
IMPORTANT: As conditions are different from location to location it is mandatory to check that the top ceiling fixings are strong enough to take the weight of the objects being hung. The variable conditions of both the ceiling and floors may change the products allotted weight and sound judgment must always be used by the customer. It is also important never hang items in locations that could potentially cause damage or harm to items of value, humans, pets, or anything living for that matter.

Tension Systems - Tension Systems




Tension Cable Set - (Fixed) - Ceiling to Floor Kit

For use with:
Cable Hooks / Side Clamps

Price	\$27.95	10' / 304.8cm	\$27.95
	\$29.95	20' / 609.6cm	

Instalation Instructions:



Compatible With:

- Micro Hook - (Side Screw) - Picture Hook**

For more about this product visit [page 045](#)
- Basel - (Side Screw) - Mini Hook**

For more about this product visit [page 045](#)
- L-Hook - (Side Screw) - Picture Hook**

For more about this product visit [page 045](#)
- Crane Hook - (Side Screw) - Picture Hook**

For more about this product visit [page 045](#)

- Side Clamp - Single Sided - (Round) - 3/16"**

For more about this product visit [page 061](#)
- Side Clamp - Double Sided - (Round) - 3/16"**

For more about this product visit [page 061](#)
- Side Clamp - Single Sided - (Round) - 5/16"**

For more about this product visit [page 062](#)
- Side Clamp - Double Sided - (Round) - 5/16"**

For more about this product visit [page 062](#)

- Self-Gripping - (Small) - Picture Hook**

For more about this product visit [page 046](#)
- Self-Gripping - (Sailors) - Picture Hook**

For more about this product visit [page 046](#)
- Self Gripping - (Picture Hook) with Safety-Lock**

For more about this product visit [page 046](#)
- Self Gripping - (Captains) - Picture Hook**

For more about this product visit [page 046](#)

- Side Clamp - Single Sided - (Round) - 7/16"**

For more about this product visit [page 063](#)
- Side Clamp - (Rotating) - Single Sided 3/8"**

For more about this product visit [page 063](#)
- Side Clamp - (Rotating) - Double Sided 3/8"**

For more about this product visit [page 063](#)

Tension Systems - Tension Systems



Tension Cable Set - (Fixed) - Wall to Wall Kit

For use with:


Cable Hooks / Side Clamps

Price

\$27.95

\$27.95 10' / 304.8cm

Examples:



Product Information

The **Wall-to-Wall** tension set gives users the ability to securely suspend objects from wall to wall and is ideal for high traffic areas.

The Wall-to-Wall system is perfect for picture hanging, window displays, offices, showrooms, menu boards, signage, point of purchase, conference rooms, and locations where items are frequently changed.

Once the upper and lower tensioners have been installed, the cable is then threaded through lower tensioner and the Ball-Anchor is secured to the cable.

After the ball-anchor has been secured, the excess cable is cut and the Tensioner is secured to the lower base and turned clock-wise to create the desired tension.

Application: Wall - to - Wall

Material: Aluminum

Finish: Satin -Silver

Available Cable Lengths: 10' / 304.8cm or 20' / 609.6cm

Rated Weight: 26 lbs / 11.8kg (Solid Structure) - 12 lbs / 3.6KG (Drywall)

The following items are included with Tension Cable Set:

- (1) Upper Cable Coupler
- (1) Lower Cable Coupler / Tensioner
- (1) Stainless Steel Cable 10' / 304cm or 20' 609cm
- (2) Coupler mounting rings for upper and lower supports
- (1) Anchor Ball - To secure cable to lower coupler
- (1) Tension Spring
- (2) Anchors and (2) screws for basic (light weight) drywall installation

The products rated weight pertains to the hardware only.

Actual carrying weight may vary based on both installation and variable conditions of the structure.

Note: Toggle Bolt Anchors are required in order to achieve max weight load when installed to drywall ceiling.

Tension Systems - Tension Systems



Tension Cable Set - (Fixed) - Wall to Wall Kit

For use with:
Cable Hooks / Side Clamps

Price \$27.95 10' / 304.8cm \$27.95

Compatible With:

Instalation Instructions:

TENSION SYSTEM / INSTALLATION

1. Rings are installed to the wall using the supplies screws

2. Once the two rings are installed both the top and bottom tensioners are turned clockwise on to the rings.

3. Once the tensioners are secured to the ring the cable is inserted through the top tensioner

4. Once the cable is inserted through the top tensioner the cable is them inserted through the lower tensioner and the tension ball is secured

5. Once the tension ball is secured the cable is then cut leaving about an inch of extra cable.

6. Once the cable is cut the lower tensioner is them secured to fixed threaded bracket. The tensioner is them turned clockwise to create tension between the upper and lower tensioner

TOP TENSIONER

LOWER TENSIONER

CUT LEAVING 1"

The tension ball should be secured just above the threaded bracket.

Cable Hooks

Micro Hook - (Side Screw) - Picture Hook

For more about this product visit page 045

Cable Hooks

Basel - (Side Screw) - Mini Hook

For more about this product visit page 045

Cable Hooks

L-Hook - (Side Screw) - Picture Hook

For more about this product visit page 045

Cable Hooks

Crane Hook - (Side Screw) - Picture Hook

For more about this product visit page 045

Side Clamps

Side Clamp - Single Sided - (Round) - 3/16"

For more about this product visit page 061

Side Clamps

Side Clamp - Double Sided - (Round) - 3/16"

For more about this product visit page 061

Side Clamps

Side Clamp - Single Sided - (Round) - 5/16"

For more about this product visit page 062

Side Clamps

Side Clamp - Double Sided - (Round) - 5/16"

For more about this product visit page 062

Cable Hooks

Self-Gripping - (Small) - Picture Hook

For more about this product visit page 046

Cable Hooks

Self-Gripping - (Sailors) - Picture Hook

For more about this product visit page 046

Cable Hooks

Self Gripping - (Picture Hook) with Safety-Lock

For more about this product visit page 046

Cable Hooks

Self Gripping - (Captains) - Picture Hook

For more about this product visit page 046

Side Clamps

Side Clamp - Single Sided - (Round) - 7/16"

For more about this product visit page 063

Side Clamps

Side Clamp - (Rotating) - Single Sided 3/8"

For more about this product visit page 063

Side Clamps

Side Clamp - (Rotating) - Double Sided 3/8"

For more about this product visit page 063

Tension Systems - Tension Systems



Tension Cable Set - (Point-To-Point) - Self Gripping

For use with:
Cable Hooks / Side Clamps

Price		\$29.95
\$29.95	10' / 304.8cm	
\$31.95	20' / 609.6cm	

Examples:



Product Information

The Self-Gripping **point-to-point** tension cable set gives users the ability to suspend objects from ceiling-to-floor, wall-to -wall and ceiling-to-wall.

Once installed, the upper and lower base can be rotated 360° while the directional pivot head can swivel up to 180° and in two directions. This system provides great flexibility for hanging objects in various directions and configurations.

The Tension Cable system with its Self-Gripping lower pivot head is perfect for picture hanging, window displays, offices, showrooms, menu boards, signage, point of purchase, conference rooms, and locations where items are frequently changed.

Application: Wall - to - Wall
Material: Aluminum
Finish: Satin -Silver
Available Cable Lengths: 10' / 304.8cm or 20' / 609.6cm
Rated Weight: 26 lbs / 11.8kg (Solid Structure) - 12 lbs / 3.6KG (Drywall)

- The following items are included with Tension Cable Set:
- (1) Upper Cable Coupler
 - (1) Lower Cable Coupler / Tensioner
 - (1) Stainless Steel Cable 10' / 304cm or 20' 609cm
 - (2) Coupler mounting rings for upper and lower supports
 - (1) Anchor Ball - To secure cable to lower coupler
 - (1) Tension Spring
 - (2) Anchors and (2) screws for basic (light weight) drywall installation

The products rated weight pertains to the hardware only.

Actual carrying weight may vary based on both installation and variable conditions of the structure.

Note: Toggle Bolt Anchors are required in order to achieve max weight load when installed to drywall ceiling.

Tension Systems - Tension Systems



Tension Cable Set - (Point-To-Point) - Fixed Anchor Plates

For use with:

Cable Hooks / Side Clamps


Price

\$36.95

\$36.95 10' / 304.8cm

\$38.95 20' / 609.6cm

Examples:



Product Information

The articulated **Point-To-Point** tension set with its fixed anchor plate gives users the ability to suspend objects from ceiling to floor, wall to wall and ceiling to wall.

Once installed, the upper and lower base can be rotated 360 degrees while the directional pivot head can swivel up to 180° and in two directions. This system provides great flexibility for hanging objects in various directions and configurations.

The (Fixed) anchor plate tension system is perfect for picture hanging, window displays, offices, show-rooms, menu boards, signage, point of purchase, conference rooms, and locations where items are frequently changed.

Application: Wall - Ceiling - Floor

Material: Brass

Finish: Satin -Silver

Available Cable Lengths: 10' / 304.8cm or 20' / 609.6cm

Rated Weight: 36 lbs / 16.3kg (Solid Structure) - 12 lbs / 3.6KG (Drywall-Ceiling)

The following items are included with Tension Cable Set:


- (1) Upper Cable Coupler - Pivot Head
- (1) Lower Cable Coupler / Tensioner - Pivot Head
- (1) Stainless Steel Cable 10' / 304cm or 20' 609cm
- (2) Coupler mounting screws for upper and lower supports
- (1) Anchor Ball - To secure cable to lower coupler
- (1) Tension Spring
- (6) Anchors and (6) screws for basic (light weight) drywall installation

The products rated weight pertains to the hardware only. Actual carrying weight may vary based on both installation and variable conditions of the structure.

Actual carrying weight may vary based on both installation and variable conditions of the structure.

Installation

Note: Toggle Bolt Anchors are required in order to achieve max weight load when installed to drywall ceiling.



Tension Systems - Tension Systems



Tension Cable Set - (Point-To-Point) - Fixed Anchor Plates

For use with:
Cable Hooks / Side Clamps

Price		\$36.95
\$36.95	10' / 304.8cm	
\$38.95	20' / 609.6cm	

Installation Instructions:
Installation Tension Set - Fixed Anchor Plates

Once the upper and lower hardware have been installed, the cable is threaded through lower tensioner and then secured to the provided Ball-Anchor.

After the Ball-Anchor has been secured, the lower Tensioner is turned clock-wise to create the desired tension.
















Last, excess cable is threaded through lower couplers side exit and then cut if desired.

The products rated weight pertains to the hardware only. Actual carrying weight may vary based on both installation and variable conditions of the structure.

Actual carrying weight may vary based on both installation and variable conditions of the structure.

IMPORTANT: As conditions are different from location to location it is mandatory to check that the top ceiling fixings are strong enough to take the weight of the objects being hung. The variable conditions of both the ceiling and floors may change the products allotted weight and sound judgment must always be used by the customer. It is also important never hang items in locations that could potentially cause damage or harm to items of value, humans, pets, or anything living for that matter.

Compatible With:

 Cable Hooks Micro Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Basel - (Side Screw) - Mini Hook <i>For more about this product visit page 045</i>	 Cable Hooks L-Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Cable Hooks Crane Hook - (Side Screw) - Picture Hook <i>For more about this product visit page 045</i>	 Side Clamps Side Clamp - Single Sided - (Round) - 3/16" <i>For more about this product visit page 061</i>	 Side Clamps Side Clamp - Double Sided - (Round) - 3/16" <i>For more about this product visit page 061</i>	 Side Clamps Side Clamp - Single Sided - (Round) - 5/16" <i>For more about this product visit page 062</i>	 Side Clamps Side Clamp - Double Sided - (Round) - 5/16" <i>For more about this product visit page 062</i>
 Cable Hooks Self-Gripping - (Small) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self-Gripping - (Sailors) - Picture Hook <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Picture Hook) with Safety-Lock <i>For more about this product visit page 046</i>	 Cable Hooks Self Gripping - (Captains) - Picture Hook <i>For more about this product visit page 046</i>	 Side Clamps Side Clamp - Single Sided - (Round) - 7/16" <i>For more about this product visit page 063</i>	 Side Clamps Side Clamp - (Rotating) - Single Sided 3/8" <i>For more about this product visit page 063</i>	 Side Clamps Side Clamp - (Rotating) - Double Sided 3/8" <i>For more about this product visit page 063</i>	

Tension Systems - Lower Profile Tensioners



Lower Profile - (Self-Gripping) - Cable Tensioner

For use with:
All Rails, Cables and Cable Rods

Price \$9.95

The multifunctional Self-Gripping glider is perfect for either suspending objects that need to be hung from atop or used as a lower profile floor tensioner for lightweight displays.

When used as a tensioner, this item will stabilize the cable while minimizing the movement of your display.

The Self-gripping glider can be configured to work with all rails, cables and cable rods.

This item is particularly good for retail and commercial spaces that require an indiscreet means of hanging signs, banners and point of purchase material



Lower Profile - Tensioner

Price \$7.95

The Lower profile tensioner is used to create tension between a suspended cable and either the floor or display unit.

This item will stabilize the cable while minimizing the movement of your display.

This item is particularly good for retail and commercial spaces that require an indiscreet means of hanging signs, banners and point of purchase materials.



Anchor and Screw Set - Standard

For use with:
Click Track Classic / Click Track Deco

Price \$12.95

The Ball-End Tesnsioner is used to created tension between two rails when using either the click track classic or click track Deco.



Tension Spring

Price \$4.95

The tension spring is used to create tension between upper and lower rails.

The spring is simply secured to the cable and and then pulled over the ledge of the lower reversed rail.

Tension Systems - Cable Clamps



Side Clamp - Single Sided - (Round) - 3/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price \$4.35

\$4.35 Silver

\$4.50 Black

Product Information

The single sided vertical side clamp is used to attach objects from the side and is perfect for hanging posters signs, banners, foam-board and Plexiglass.

The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Single Sided Vertical Clamp / Opening 3/16"


Material: Steel
Available Colors: Silver • White • Black
Opening: 3/16"
Opening Depth: 3/8"
Clamp Profile: Length: 5/8" - Diameter: 3/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench

Instalation Instructions

Once clamp is firmly secured to cable, object is then placed through clamps open-end and secured using the allen wrench



Cable is inserted through opening on clamp and then secured using the supplied allen wrench.

It is important to completely remove screw before inserting cable.
Faulure to remove screw may cause damage to cable.



Side Clamp - Double Sided - (Round) - 3/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price \$4.95

\$4.35 Silver

\$5.45 Black

Product Information

The Vertical side clamp is perfect for hanging art, signs, banners, foam-board, plexiglass and acrylic pocket displays available through Systematic Art.

The Double-Sided cable clamp is used to create a continuous connection between images.

The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Double Sided Vertical Clamp - Opening 3/16"


Material: Aluminum
Profile: Round
Available Colors: Silver • White • Black
Opening: 3/16"
Opening Depth: 3/8"
Clamp Profile: Length: 1" - Diameter: 3/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp set includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench

Instalation Instructions

Once clamp is firmly secured to the cable, object is then placed through clamps open-end and secured using the allen wrench.



Cable is inserted through opening on clamp and then secured using the supplied allen wrench.

It is important to completely remove screw before inserting cable.
Faulure to remove screw may cause damage to cable.

Tension Systems - Cable Clamps



Side Clamp - Single Sided - (Round) - 5/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price \$4.95

\$4.95	Silver
\$5.10	Black
\$5.10	White

Product Information

The Vertical single sided round profile side clamp is ideal for hanging posters, signs, banners, foam-board, Plexiglass and for use with Acrylic pocket displays available through Systematic Art.


The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items and objects are frequently changed.

Single Sided Vertical Clamp / Opening 5/16"

Material: Aluminum
Profile: Round
Available Colors: Silver • White • Black
Opening: 5/16"
Opening Depth: 7/16"
Clamp Profile: Length: 1-1/16" - Diameter: 1/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench



Side Clamp - Double Sided - (Round) - 5/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price \$5.45

\$5.45	Silver
\$5.65	Black
\$5.65	White

Product Information

The Vertical double-sided round profile cable clamp is perfect for posters, signs, banners foam-board, plexi-glass and acrylic pocket displays available through Systematic Art.

The double-sided cable clamp is used to create a continuous connection between objects and images.


The side clamp is ideal for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Double Sided Vertical Clamp - Opening 5/16"


Material: Aluminum
Profile: Round
Available Colors: Silver • White • Black
Opening: 5/16"
Opening Depth: 7/16"
Clamp Profile: Length: 1-1/2" - Diameter: 1/8"
Weight Support: 4 lbs / 1.8 kg

The Double Side Clamp includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench



Tension Systems - Cable Clamps



Side Clamp - Single Sided -
(Round) - 7/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price\$5.95

The Vertical round profile side clamp is perfect for hanging banners signs, banners and foam-board.

The side clamp is ideal for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.



Side Clamp - (Rotating) - Single
Sided 3/8"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price\$10.95

The Swiveling (Self-Gripping) single sided clamp is perfect for hanging art, signs, banners, foam-board plexiglass, and shelving. The Clamp is able to rotate 360 degrees giving users maximum flexibility.

The side clamp is perfect for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

The Self - Gripping Swivel clamp uses 3 ball bearings inside an inner cylinder. Once the cable is inserted to the cylinder, the ball bearings move and grip against the cable causing them to lock.To release simply depress the cylinder with your finger. With cylinder depressed the clamp is then able to freely slide up and down the cable.Once the pusher is released the clamp then locks into position.

Rotating / Side clamp Single Sided - Opening 3/8"

Material: Brass
Function: Self-Gripping / Rotating
Profile: Round / Singe Sided
Available Colors: Satin Silver
Opening: 3/8"
Opening Depth: 7/16"
Clamp Profile: Length: 1-1/2" - Diameter: 5/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp set includes the following items:

- 1. Clamp
- 2. Set Screw
- 3. Hex Wrench



Side Clamp - (Rotating) -
Double Sided 3/8"

For use with:
Cable Hooks / Side Clamps

Price\$12.95

The Swiveling (Self-Gripping) double sided clamp is perfect for panels, signs, banners, foam-board plexiglass, and shelving. The Clamp is able to rotate 360 degrees giving users maximum flexibility.

The side swivel clamp is perfect for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

The Self-Gripping Swivel clamp uses 3 ball bearings inside an inner cylinder. Once the cable is inserted to the cylinder, the ball bearings move and grip against the cable causing them to lock. To release simply depress the cylinder with your finger. With cylinder depressed the clamp is then able to freely slide up and down the cable. One the pusher is released the clamp will then lock into position.

Tension Systems - Acrylic Pocket Displays



Acrylic - Pocket Display - Portrait

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$12.95

\$12.95	8.5" x 11"
\$24.95	8.5" x 14"
\$24.95	11" x 17"

The Acrylic Pocket Display is used to easily hang photos, real estate listings, advertisements, documents, menus and artwork.

The pocket display is suspended using both cables and clamps.

Material: Acrylic Clear
Glass Thickness: 3/16"
Orientation: Portrait
Available Sizes: Multiple



Acrylic - Pocket Display - Landscape

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$13.95

\$13.95	11" x 8.5"
\$20.95	14" x 8.5"
\$26.95	17" x 11"

The Acrylic Pocket Display is used to easily hang photos, real estate listings, advertisements, documents, menus and artwork.

The pocket display is suspended using both cables and clamps.

Material: Acrylic Clear
Glass Thickness: 3/16"
Orientations: Portrait / Landscape
Available Sizes: Multiple



Acrylic - Card Holder

For use with:
Click-Track Wall Mounted / Gallery Wall Mounted /
Moderna Wall Mounted / Sky Ceiling Mounted / Slim Line Ceiling Mounted

Price \$4.95

\$4.95	4" x 2"
\$5.95	6" x 4"

The Systematic Art label Holder made from acrylic and is perfect for retail, offices, trade shows, galleries and museums.

The acrylic label holder is affixed to the wall with use of double sided tape that is included with the holder.

Material: Acrylic Clear Glass
Thickness: 3/16"
Mounting: Double stick tape (Included)
Orientation: Landscape
Available Sizes: Multiple

The Acrylic Card holder is manufactured with a 1/2" semi circle finger slide for easy insertion and removal of card.

Sign & Panel Supports



Sign & Panel Supports - Cable Standoffs



Standoff - (Matte Silver Finish) - Small

Price \$5.95



Standoff - (Blue Anodized Finish) - Small



Price \$5.95




Standoff - (Red Anodized Finish) - Small

Price \$5.95

The Standoff, widely used by many galleries and museums, is perfect for mounting name cards, logo panels, photography, frames and signage, while creating a nice clean architectural hanging element for any space.



STANDOFF IS SECURED TO WALL



STANDOFF SET SCREW IS INSERTED THROUGH SIGNAGE AND THEN SECURED.





Standoff - (Silver) - Matte Finish - Medium

Price \$6.95

The Standoff, is used to hang acrylic panels, name plates, in and out doors signs, logo panels, and photographs.

The standoff is ideal for hanging signage in public spaces that include: shopping centers, banks, airports, museums, galleries, offices, and retail.



Side Clamp - (Rotating) - Double Sided 3/8"

Price \$6.95

The Cable Standoff, easily secures to either the Stainless-Steel or Nylon cable and is perfect for hanging photography, logo panels, and acrylic signage providing a nice clean look and without damage to walls.

The cable Standoff is ideal for window displays, point of purchase, conference rooms and in areas where signage is frequently changed.



Side Clamp - Single Sided - (Round) - 5/16"

Price \$8.95

\$8.95	3/4"
\$9.45	1"

The multilayer Standoff, is used to secure acrylic panels, photography, posters, logo panels and signage.

The Multi-Level standoff gives users the ability to secure an extra panel of acylic to provide an extra layer of protection when hanging in high traf- fic and public areas.

The standoff is perfect for: schools, shopping centers, galleries, banks, museums, airports, and most public spaces.

The multilevel standoff is available in two diameters: 3/4" and 1"



Side Clamp - Double Sided - (Round) - 5/16"

Price \$7.95

The double sided Cable Standoff, easily secures to either the Stainless-Steel or Nylon cable and is perfect for hanging photography, logo panels, and acrylic signage providing a nice clean look and without damage to walls.

The double sided cable standoff gives users the ability to secure objects from to sides and works best with either the ceiling mounted coupler or ceiling to floor tension sets.

The cable Standoff is ideal for window displays, point of purchase, conference rooms and in areas where signage is frequently changed.



Sign and Panel Holder

Price \$25.95

The Sign and Panel holder set comes with 4 clamps and is used to secure signs or panels to the wall.

The clamp is secured to the wall with the use of the supplied hex key making for an easy and secure installation.

Sign holder set comes with the following hardware:

- 1. Clamps / 4
- 2. Supports / 4
- 3. Set Screws / 4
- 4. Base Screws / 4
- 5. Drywall anchors / 4
- 6. Anchor screws / 4
- 7. Hex Wrench / 1



Suspension Kit - Classic

Price \$17.95

The classic Suspension Kit is used to hang signage, panels, banners, menu boards and acrylic from a single designated location.

The suspension kit is perfect for retail and commercial environments that include: Restaurants, Schools, offices, and any public space.

Once installed objects is secured to the suspension kits lower clamp.

\$17.95	48" / 121 cm
\$19.95	72" / 182 cm
\$21.95	96" / 243 cm
\$23.95	120" / 304 cm



Suspension Kit - Zurich

Price \$17.55

The Zurich Suspension Kit is used to hang signage, panels, banners, menu boards and acrylic from a single designated location.

The suspension kit is perfect for retail and commercial environments that include: Restaurants, Schools, offices, and any public space.

Once installed objects is secured to the suspension kits lower clamp with the provided set screw.

\$17.55	Silver 48"/121 cm	Black 48"/121 cm	White 96"/243 cm
\$17.95	Silver 72"/182 cm	Black 72"/182 cm	White 120"/304 cm
\$17.95	Silver 96"/243 cm	Black 96"/243 cm	
\$17.95	Silver 120"/304 cm	Black 120"/304 cm	

Sign & Panel Supports - Ceiling Couplers



Ceiling Mounted Coupler Set

For use with:
Cable Hooks

Price **\$14.55**

\$14.55 48" / 121 cm

\$16.55 72" / 182 cm

\$18.55 96" / 243 cm

\$20.55 120" / 304 cm

Examples:



Product Information

A perfect way to hang objects from a single designated location is the Ceiling-Coupler set, which can be utilized to suspend signs, banners and display items.

Once installed objects can easily be adjusted vertically using cable hooks, side clamps and Self-Gripping gliders.

In addition to signs and banners the ceiling-coupler set is the perfect hanging apparatus for suspending art, chandeliers, collectables, cookware, panels and partitions.

Material: Brass

Available Colors: Matte Silver Finish

Available Cable Lengths: Multiple

Rated Weight: 12 lbs / 5.4 kg - (Solid Structure) - 3 lbs / 1.3 kg (Drywall - Ceiling)

Note: Toggle Bolt Anchors are required in order to achieve max weight load when installed to drywall ceiling.

The products rated weight pertains to the hardware only. Actual carrying weight may vary based on both installation and variable conditions of the structure.

Ceiling-Coupler set includes the following items:

1. Ceiling Coupler
2. Stainless-steel Cable (Various Lengths Available)
3. (1) Dry-wall Anchor / (1) Anchor screw (light weight installations)

Sign & Panel Supports - Ceiling Couplers



Ceiling Mounted Coupler Set

For use with:
Cable Hooks

Price	
\$14.55	48" / 121 cm
\$16.55	72" / 182 cm
\$18.55	96" / 243 cm
\$20.55	120" / 304 cm


Installation

Coupler is installed to the ceiling with the use of both Anchors and Screws.

Heavier items the exceed 3lbs will require the use of Toggle Bolts. Refer to the diagram below for more de-tailed instructions.

IMPORTANT: As conditions are different from location to location it is mandatory to check that the top ceiling fixings are strong enough to take the weight of the objects being hung. The variable conditions of the ceiling may change the products allotted weight and sound judgment must always be used by the customer. It is also important to never hang items in locations that could potentially cause damage or harm to items of value, humans, and pets.


Compatible With:



Cable Hooks

Micro Hook - (Side Screw) - Picture Hook


For more about this product visit page 045



Cable Hooks

Basel - (Side Screw) - Mini Hook


For more about this product visit page 045



Cable Hooks

L-Hook - (Side Screw) - Picture Hook


For more about this product visit page 045



Cable Hooks

Crane Hook - (Side Screw) - Picture Hook


For more about this product visit page 045



Cable Hooks

Self-Gripping - (Small) - Picture Hook


For more about this product visit page 046



Cable Hooks

Self-Gripping - (Sailors) - Picture Hook


For more about this product visit page 046



Cable Hooks

Self Gripping - (Picture Hook) with Safety-Lock

For more about this product visit page 046




Cable Hooks

Self Gripping - (Captains) - Picture Hook

For more about this product visit page 046

Instalation Instructions:



Sign & Panel Supports - Ceiling Couplers



Ceiling Mounted Coupler Set - Dome Shapped

For use with:
Cable Hooks

Price **\$14.55**

\$14.55 48" / 121 cm

\$16.55 72" / 182 cm

\$18.55 96" / 243 cm

\$20.55 120" / 304 cm

Examples:



Product Information

The Dome shaped ceiling mounted coupler provides a perfect soltions to suspend objects from a single designated location.

The Ceiling-Coupler set, can be used to hang signs, banners and display items.

Once installed objects can easily be adjusted vertically using cable hooks, side clamps and Self-Gripping gliders.

In addition to signs and banners the ceiling-coupler set is ideal for hanging art, chandeliers, collectables, cookware, panels, planters and partitions.

Material: Brass

Available Colors: Matte Silver Finish

Available Cable Lengths: Multiple

Rated Weight: 12 lbs / 5.4 kg - (Solid Structure) - 3 lbs / 1.3 kg (Drywall - Ceiling)

Note: Toggle Bolt Anchors are required in order to achieve max weight load when installed to drywall ceiling.

The products rated weight pertains to the hardware only. Actual carrying weight may vary based on both installation and variable conditions of the structure.

Ceiling-Coupler set includes the following items:

1. Ceiling Coupler
2. Stainless-steel Cable (Various Lengths Available)
3. (1) Dry-wall Anchor / (1) Anchor screw (light weight installations)

Sign & Panel Supports - Ceiling Couplers



Ceiling Mounted Coupler Set - Dome Shapped

For use with:
Cable Hooks

Price **\$14.55**

\$14.55 48" / 121 cm

\$16.55 72" / 182 cm

\$18.55 96" / 243 cm

\$20.55 120" / 304 cm

Compatible With:



Cable Hooks

Micro Hook - (Side Screw) - Picture Hook

For more about this product visit page 045



Cable Hooks

Basel - (Side Screw) - Mini Hook

For more about this product visit page 045



Cable Hooks

L-Hook - (Side Screw) - Picture Hook

For more about this product visit page 045



Cable Hooks

Crane Hook - (Side Screw) - Picture Hook

For more about this product visit page 045



Cable Hooks

Self-Gripping - (Small) - Picture Hook

For more about this product visit page 046



Cable Hooks

Self-Gripping - (Sailors) - Picture Hook

For more about this product visit page 046



Cable Hooks

Self Gripping - (Picture Hook) with Safety-Lock

For more about this product visit page 046



Cable Hooks

Self Gripping - (Captains) - Picture Hook

For more about this product visit page 046

Installation


Coupler is installed to the ceiling with the use of both Anchors and Screws.

Heavier items the exceed 3lbs will require the use of Toggle Bolts. Refer to the diagram below for more detailed instructions.

IMPORTANT: As conditions are different from location to location it is mandatory to check that the top ceiling fixings are strong enough to take the weight of the objects being hung. The variable conditions of the ceiling may change the products allotted weight and sound judgment must always be used by the customer. It is also important to never hang items in locations that could potentially cause damage or harm to items of value, humans, and pets.

Instalation Instructions:

3- Part Assembly



Sign & Panel Supports - Wall Mounted Couplers



Wall-Mounted - Coupler

For use with:

Cable Rod

Price

\$7.95

The wall mounted Coupler is secured to the wall and used to suspend art, panels, and signage from a single designated location using either cables or cables rods.

The multi functional wall mounted Coupler can be used in one of two ways:

Option 1: The Coupler is secured to the wall and used in conjunction with Cables, Cable Rods, hooks and side clamps.

Option 2: The Coupler is secured to the back of a frame, picture, sign or panel and then attached to a suspended cable or tension system.

Cable Coupler set includes the following items:

1. Cable Coupler - Two Part Assembly
2. Set screw
3. Wrench 4
4. (1) Dry-wall anchor / (1) Anchor screw (For wall-mounted installation)


Material: Aluminum

Available Colors: Silver Matte finish

Rated Weight: 5lbs / 2.2Kg

Actual carrying weight may vary based on both installation and variable conditions of the structure.

Compatible with:



Cable Rod

Cable Rod - Steel

For more about this product
visit [page 074](#)

Installation


Wall-Mounted Installation:

1. Coupler is installed to the wall with the use of both Anchors and Screws.
2. Once installed, the set screw is loosened and the Cable Rod is inserted.;
3. Once in place, the set screw is tightened to secure Cable Rod to coupler.

Sign and Panel Installation:

1. Base is secured to the back of sign, panel or frame.
2. Coupler is then secured to base
3. Set screw is removed and coupler is placed into position on cable.
4. Once in position, set screw is tightened using the supplied key wrench

Instalation Instructions:



Sign & Panel Supports - Ceiling Couplers



Cable Rod - Steel

For use with:
Wall - Mounted Coupler

Price				\$6.95
\$14.55	Silver 48"/121 cm	Black 48"/121 cm	White 48"/121 cm	
\$16.55	Silver 72"/182 cm	Black 72"/182 cm	White 72"/182 cm	
\$18.55	Silver 96"/243 cm	Black 96"/243 cm	White 96"/243 cm	

Product Information

The Cable Rod a hybrid of both the 1.8mm hanging cable and the 4mm square profile rod gives users a viable and secure means of hanging art, pictures, posters and signs.

The Cable-Rod was developed for residential and office type settings and is used in conjunction with the Wall-Mounted Coupler.

Once installed the robust Cable Rod can be used in conjunction with any of our cable series hooks and cable clamps that include both self-gripping and side screw.

Note:Cable Rod works with Wall-Mounted Coupler Only!

Material: Steel
Rod Profile: Round - 1/16"
Available Colors: Silver • White • Black
Available Lengths: Multiple
Rated Weight: 5lbs / 2kg (When used with Wall-Mounted Coupler)

Compatible With:

Example:



Cable Hooks

Wall - Mounted Coupler

For more about this product
visit [page 073](#)



Cable Rod is used with Wall Mounted Coupler



Sign & Panel Supports - Side Clamps



Side Clamp - Single Sided - (Round) - 3/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price **\$4.35**

\$4.35	Silver
\$4.50	Black

Product Information

The single sided vertical side clamp is used to attach objects from the side and is perfect for hanging posters signs, banners, foam-board and Plexiglass.

The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Single Sided Vertical Clamp / Opening 3/16"


Material: Steel
Available Colors: Silver • White • Black
Opening: 3/16"
Opening Depth: 3/8"
Clamp Profile: Length: 5/8" - Diameter: 3/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench

Instalation Instructions

Once clamp is firmly secured to cable, object is then placed through clamps open-end and secured using the allen wrench



Cable is inserted through opening on clamp and then secured using the supplied allen wrench.

*It is important to completely remove screw before inserting cable.
Faulure to remove screw may cause damage to cable.*



Side Clamp - Double Sided - (Round) - 3/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price **\$4.95**

\$4.35	Silver
\$5.45	Black

Product Information

The Vertical side clamp is perfect for hanging art, signs, banners, foam-board, plexiglass and acrylic pocket displays available through Systematic Art.

The Double-Sided cable clamp is used to create a continuous connection between images.

The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Double Sided Vertical Clamp - Opening 3/16"


Material: Aluminum
Profile: Round
Available Colors: Silver • White • Black
Opening: 3/16"
Opening Depth: 3/8"
Clamp Profile: Length: 1" - Diameter: 3/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp set includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench

Instalation Instructions

Once clamp is firmly secured to the cable, object is then placed through clamps open-end and secured using the allen wrench.



Cable is inserted through opening on clamp and then secured using the supplied allen wrench.

*It is important to completely remove screw before inserting cable.
Faulure to remove screw may cause damage to cable.*

Sign & Panel Supports - Side Clamps



Side Clamp - Single Sided - (Round) - 5/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price **\$4.95**

\$4.95 Silver

\$5.10 Black

\$5.10 White

Product Information

The Vertical single sided round profile side clamp is ideal for hanging posters, signs, banners, foam-board, Plexiglass and for use with Acrylic pocket displays available through Systematic Art.

The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items and objects are frequently changed.

Single Sided Vertical Clamp / Opening 5/16"

Material: Aluminum

Profile: Round

Available Colors: Silver • White • Black

Opening: 5/16"

Opening Depth: 7/16"

Clamp Profile: Length: 1-1/16" - Diameter: 1/8"

Weight Support: 4 lbs / 1.8 kg

Side Clamp includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench



Side Clamp - Double Sided - (Round) - 5/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price **\$5.45**

\$5.45 Silver

\$5.65 Black

\$5.65 White

Product Information

The Vertical double-sided round profile cable clamp is perfect for posters, signs, banners foam-board, plexi-glass and acrylic pocket displays available through Systematic Art.

The double-sided cable clamp is used to create a continuous connection between objects and images.

The side clamp is ideal for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Double Sided Vertical Clamp - Opening 5/16"

Material: Aluminum

Profile: Round

Available Colors: Silver • White • Black

Opening: 5/16"



Opening Depth: 7/16"

Clamp Profile: Length: 1-1/2" - Diameter: 1/8"


Weight Support: 4 lbs / 1.8 kg

The Double Side Clamp includes the following items:

1. Clamp
2. Set Screw
3. Hex Wrench



Sign & Panel Supports - Side Clamps



Side Clamp - Single Sided -
(Round) - 5/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price \$5.95

The Vertical round profile side clamp is perfect for hanging banners signs, banners and foam-board.

The side clamp is ideal for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.



Side Clamp - Double Sided -
(Round) - 5/16"

For use with:
Ceiling Couplers / Hanging Cables / Tension Systems

Price \$10.95

The Swiveling (Self-Gripping) single sided clamp is perfect for hanging art, signs, banners, foam-board plexiglass, and shelving. The Clamp is able to rotate 360 degrees giving users maximum flexibility.

The side clamp is perfect for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

The Self - Gripping Swivel clamp uses 3 ball bearings inside an inner cylinder. Once the cable is inserted to the cylinder, the ball bearings move and grip against the cable causing them to lock.To release simply depress the cylinder with your finger. With cylinder depressed the clamp is then able to freely slide up and down the cable.Once the pusher is released the clamp then locks into position.

Rotating / Side clamp Single Sided - Opening 3/8"

Material: Brass
Function: Self-Gripping / Rotating
Profile: Round / Singe Sided
Available Colors: Satin Silver
Opening: 3/8"
Opening Depth: 7/16"
Clamp Profile: Length: 1-1/2" - Diameter: 5/8"
Weight Support: 4 lbs / 1.8 kg

Side Clamp set includes the following items:

- 1. Clamp
- 2. Set Screw
- 3. Hex Wrench



Side Clamp - (Rotating) -
Double Sided 3/8"

For use with:
Cable Hooks / Side Clamps

Price \$12.95

The Swiveling (Self-Gripping) double sided clamp is perfect for panels, signs, banners, foam-board plexiglass, and shelving. The Clamp is able to rotate 360 degrees giving users maximum flexibility.

The side swivel clamp is perfect for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

The Self-Gripping Swivel clamp uses 3 ball bearings inside an inner cylinder. Once the cable is inserted to the cylinder, the ball bearings move and grip against the cable causing them to lock. To release simply depress the cylinder with your finger. With cylinder depressed the clamp is then able to freely slide up and down the cable. One the pusher is released the clamp will then lock into position.

Sign & Panel Supports - Top Clamps



Top Clamp - (Round Profile)- 7/16"

For use with:

**Nylon Cables / Steel Cables / Cable-Rods / Ceiling Couplers /
Hanging Cables**


Price

\$6.95

The Vertical side clamp is perfect for hanging art, signs, banners and foam-board.

The side clamp is great for window displays, menu boards, offices, conference rooms and in areas where items are frequently changed.

Banner Supports



Banner - Dowel Support

For use with:

Ceiling Couplers / Hanging Cables / Tension Systems

Price

\$5.95



The Dowel support is ideal for hanging banners, point of purchase and any type of signage that has a sleeve.

The Dowel support can be adjusted to accommodate a diameter of 1/2" up to 3/4" with the supplied set screw.

The Dowel support can accommodate the following Dowel size:

Max Size Dowel: 3/4"
Min Size Dowel: 1/2"

Instalation Instructions:



Sign & Panel Supports - Shelf Supports



Shelf Support - Single Sided

For use with:
Cable Hooks/ Side Clamps

Price \$6.95

The horizontal side clamp is used to suspend glass, acrylic and wood 1/4" thick shelves.

The shelving clamp is perfect for residential and commercial applications that include:

- Home shelving
- Window display shelving
- office shelving
- conference rooms shelving

Recommended to be used with: 1/4" tempered glass



Shelf Support - Double Sided

For use with:
Cable Hooks/ Side Clamps

Price \$7.95

The double sided horizontal shelf support is used to suspend glass, acrylic and wood shelves (1/4")

The double-sided shelf support is used to create a continuous connection between the shelving.

This item is great for window displays, offices, conference rooms, and for storage areas.

Recommended use: 1/4" tempered glass and stainless-steel cables



Shelf Stopper

For use with:
Tension Systems - Ceiling Coupler Systems / Steel Cable Systems

Price \$6.95

The Shelf-Stopper is used to suspend and secure glass, wood, and acrylic shelving on stainless-steel cables.

The Shelf-Stopper is perfect for window displays, and also residential and commercial shelving applications.

The stopper is secured to the cable with the supplied set screw and is fastened using the provided Hex key.



Corporate Headquarters

Address: New York, New York (United States)

Phone: 212.614.3233

Fax: 212.254.1046

E-mail: Corporate@SystematicArt.com

Customer Service and Product Support

Toll Free: 1-888-426-4406 / Ext No.2

E-mail: Support@SystematicArt.com

Wholesale Inquiries

Wholesale@SystematicArt.com

Media

Media@SystematicArt.com

Product Distribution (United States)

Gardena, CA 90248

DistUSA@SystematicArt.com